AUTHOR INDEX TO VOLUME 77*
(*January-June 2013*)

A

Abougergi MS. (*see* Hyett et al). 2013; 77:551–7
Abu Dayyeh BK. Prophylactic main pancreatic duct stenting before precut biliary sphincterotomy: hold on to what you've got., 2013;77: 217–8 (Editorial)
Adler D. (*see* Siddiqui et al). 2013; 77:669–70 (Letter to the editor)
Aguila G. (*see* Khashab et al). 2013; 77:119–22 (New methods: experimental endoscopy); 77: 646–8 (Thinking outside the box)
Akerman PA. (*see* Shah et al). 2013; 77:593–600
Akerman PA. Spiral enteroscopy *versus* double-balloon enteroscopy: choosing the right tool for the job., 2013;77:252–4 (Editorial)
Akshintala V. (*see* Khashab et al). 2013; 77:646–8 (Thinking outside the box)
Al-Haddad MA. (*see* Wani et al). 2013; 77:558–65
Al-Lehibi AA. (*see* Shah et al). 2013; 77:593–600
Alcaide N. (*see* de la Serna-Higuera et al). 2013; 77:303–8 (Case study)
Alibegovic E. (*see* Salkic et al). 2013; 77:822–3 (At the focal point)
Alkhatib AA, Umar SB, Patel NC, Harrison ME. Balloon-assisted enteroscopy for the treatment of a sealed jejunal perforation: removal of a penetrating fish bone (with video)., 2013;77: 133–5 (At the focal point)
Amato A. (*see* Rondonotti et al). 2013; 77:661–2 (At the focal point)
American Society for Gastrointestinal Endoscopy (ASGE) Standards of Practice Committee. Adverse events associated with EUS and EUS with FNA., 2013;77:839–43 (Guideline)
American Society for Gastrointestinal Endoscopy (ASGE) Standards of Practice Committee. The role of endoscopy in the assessment and treatment of esophageal cancer., 2013;77:328–34 (Guideline)
American Society for Gastrointestinal Endoscopy (ASGE) Standards of Practice Committee. The role of endoscopy in the evaluation and treatment of patients with biliary neoplasia., 2013;77: 167–74 (Guideline)
American Society for Gastrointestinal Endoscopy (ASGE) Technology Assessment Committee. Methods of luminal distention for colonoscopy., 2013;77:519–25 (Technology status evaluation report)
American Society for Gastrointestinal Endoscopy (ASGE) Technology Assessment Committee. Monitoring equipment for endoscopy., 2013;77: 175–80 (Status evaluation report)
American Society for Gastrointestinal Endoscopy (ASGE) Technology Assessment Committee. Pancreatic and biliary stents., 2013;77:319–27 (Status evaluation report)
American Society for Gastrointestinal Endoscopy (ASGE) Technology Committee. New devices and techniques for management of pancreatic fluid collections., 2013;77:835–8 (Report on emerging technology)
American Society for Gastrointestinal Endoscopy (ASGE) Training Committee. Small bowel endoscopy core curriculum., 2013;77:1–6 (Core curriculum)
Amin M. (*see* Neumann et al). 2013; 77:293–4 (At the focal point)
Anastassiades CP, Saxena A. Precut needle-knife sphincterotomy in advanced endoscopy fellowship., 2013;77:637–40 (The fellows' corner)
Anderson J. (*see* Kahi et al). 2013; 77:335–50 (Review article)
Andreu M. (*see* Jover et al). 2013; 77:381–9
Andrews CN. (*see* Filip et al). 2013; 77:272–9
Antoniou SA. (*see* Koch et al). 2013; 77:7–14
Aqel BA. (*see* Hsieh et al). 2013; 77:47–54
Arcidiacono PG, Baillie J. Investigating branch duct intraductal papillary mucinous neoplasms: is large-volume lavage cytology the wave of the future?, 2013;77:736–8 (Editorial)
Arenas J. (*see* Jover et al). 2013; 77:381–9
Arezzo A, Bullano A, Fischer H, Morino M. The way to remove an over-the-scope-clip (with video)., 2013;77:974–5 (Letter to the editor)
Arguis P. (*see* Córdova et al). 2013; 77:102–7
Arihiro K. (*see* Higashimava et al). 2013; (*see* Kuwabara et al). 2013; 77:298–302 (Case study); 77:973–4 (Letter to the editor)
Arnold CA. (*see* Limketkai et al). 2013; 77:360–75 (Review article)
Arnold MA. (*see* Limketkai et al). 2013; 77:360–75 (Review article)
Arora A, Thawrani A, Kirnake V, Bansal N, Sachdeva M, Varma V, Nundy S, Ghuman SS, Buxi TBS, Siraz F, Bhalla S, Kumar A. An unusual cause of lower GI bleeding in a young woman: metastatic gestational choriocarcinoma., 2013; 77:152–4 (Brief report)
Asaka M. (*see* Shimizu et al). 2013; 77:972–3 (Letter to the editor)
Ashktorab H. (*see* Laiyemo et al). 2013; 77:447–54
Aslanian HR, Laine L. Hemostatic powder spray for GI bleeding., 2013;77:508–10 (Editorial)
Atia M. (*see* Wang et al). 2013; 77:71–8
Avila A. (*see* Share et al). 2013; 77:308–12 (Case study)
Axelbaum J. (*see* Weinstock et al). 2013; 77:954–5 (At the focal point)
Azar R. (*see* Wani et al). 2013; 77:558–65
Azeem N, Tabibian JH, Baron TH, Orhurhu V, Rosen CB, Petersen BT, Gostout CJ, Topazian MD, Levy MJ. Use of a single-balloon enteroscope compared with variable-stiffness colonoscopes for endoscopic retrograde cholangiography in liver transplant patients with Roux-en-Y biliary anastomosis., 2013;77:568–77
Aziz I. (*see* Kurien et al). 2013; 77:227–32

B

Baillie J. (*see* Arcidiacono and Baillie). 2013; 77: 736–8 (Editorial)
Bain VG. (*see* Kao et al). 2013; 77:679–91 (Review article)
Bakis G. (*see* Shah et al). 2013; 77:593–600
Balasubramanian G. (*see* Giacchino et al). 2013; 77:711–8
Ballarati C. (*see* Rondonotti et al). 2013; 77:661–2 (At the focal point)
Ballard D. (*see* Kahi et al). 2013; 77:925–31
Baluyut AR. (*see* Sipe et al). 2013; 77:932–6
Bang JY, Hebert-Magee S, Varadarajulu S. Response to: Comparison of EUS needles for pancreatic masses leaves many unanswered questions., 2013;77:829–31 (Letter to the editor)
Bang JY, Ramesh J, Trevino J, Eloubeidi MA, Varadarajulu S. Objective assessment of an algorithmic approach to EUS-guided FNA and interventions., 2013;77:739–44
Bansal A. (*see* Giacchino et al). 2013; 77:711–8
Bansal N. (*see* Arora et al). 2013; 77:152–4 (Brief report)
Barkun AN. (*see* Soulellis et al). 2013; 77:504–7 (Case study)
Barkun AN, Moosavi S, Martel M. Topical hemostatic agents: a systematic review with particular emphasis on endoscopic application in GI bleeding., 2013;77:692–700 (Review article)
Baron TH. (*see* Azeem et al). 2013; (*see* Bick et al). 2013; (*see* Itoi et al). 2013; (*see* Katzka and Baron). 2013; (*see* van Halsema et al). 2013; 77:18–28; 77:181–9; 77:568–77; 77:708–10 (Editorial); 77:793–800
Bartels SAL, Buskens CJ, Bemelman WA. Response to: Tattoo of more than lymph nodes., 2013;77:831–2 (Letter to the editor)
Bassan MS, Holt B, Moss A, Williams SJ, Sonson R, Bourke MJ. Carbon dioxide insufflation reduces number of postprocedure admissions after endoscopic resection of large colonic lesions: a prospective cohort study., 2013;77:90–5
Batke M. (*see* Neumann et al). 2013; 77:293–4 (At the focal point)
Battaglia S. (*see* Obstein et al). 2013; 77:516–7 (Letter to the editor)
Behari J. (*see* Hashash and Behari). 2013; 77:296–7 (At the focal point)
Behera A. (*see* Rao et al). 2013; 77:512–3 (Letter to the editor)
Bemelman WA. (*see* Bartels et al). 2013; 77:831–2 (Letter to the editor)
Beppu R. (*see* Shiwaku et al). 2013; 77:149–50 (Brief report)
Bergman JJ. (*see* Bredenoord et al). 2013; 77:496–7 (At the focal point)
Berk L. (*see* Didden et al). 2013; 77:664–8 (Case study)
Berzosa M, Davies SF, Gupta K, Debol SM, Li R, Miranda D, Mallery S. Diagnostic bedside EUS in the intensive care unit: a single-center expirience., 2013;77:200–8
Bhalla S. (*see* Arora et al). 2013; 77:152–4 (Brief report)
Bhasin DK. (*see* Rao et al). 2013; 77:512–3 (Letter to the editor)
Bhat YM. (*see* Binmoeller et al). 2013; 77:803–8 (New methods: clinical endoscopy)
Bhattacharya K. (*see* Singh et al). 2013; 77:761–6
Bhayani NH. (*see* Kurian et al). 2013; 77:719–25
Bhutani MS. (*see* Suzuki and Bhutani). 2013; 77: 663 (At the focal point)
Bicha Castelo H. (*see* Noronha Ferreira et al). 2013; 77:497–8 (At the focal point)
Bick BL, Wong Key Song LM, Buttar NS, Baron TH, Nichols FC, Maldonado F, Katzka DA, Enders FT, Topazian MD. Stent-associated esophagorespiratory fistulas: incidence and risk factors., 2013;77:181–9
Bingener J. (*see* Bonin et al). 2013; 77:123–30 (New methods: experimental endoscopy)
Binmoeller KF. (*see* Cameron and Binmoeller). 2013; 77:846–57 (Technical review)
Binmoeller KF, Shah JN, Bhat YM, Kane SD. Retract-ligate-unroof-biopsy: a novel approach to the diagnosis and therapy of large nonpedunculated stromal tumors (with video)., 2013;77: 803–8 (New methods: clinical endoscopy)
Bishop RH. (*see* Sipe et al). 2013; 77:932–6
Black T, Philips G, Burbridge R. Parmacobezoar in

a patient on an oral phosphate binder., 2013;77:511–2 (Letter to the editor)
Blero D. (*see* Huberty et al). 2013; 77:701–7
Bok GH, Jeon SR, Cho JY, Cho J-H, Lee WC, Jin SY, Choi IH, Kim HG, Lee TH, Park EJ. The accuracy of probe-based confocal endomicroscopy *versus* conventional endoscopic biopsies for the diagnosis of superficial gastric neoplasia (with videos)., 2013;77:899–908
Bonin EA, Bingener J, Rajan E, Knipschield M, Gostout CJ. Omentum patch substitute for facilitating endoscopic repair of GI perforations: an early laparoscopic pilot study with a foam matrix plug (with video)., 2013;77:123–30 (New methods: experimental endoscopy)
Bonta C. (*see* Menees et al). 2013; 77:641–5 (Perspectives)
Boparai KS. (*see* Lopez-Ceron et al). 2013; 77:542–50
Born LJ. (*see* Sipe et al). 2013; 77:932–6
Boškoski I. (*see* Costamagna and Boškoski). 2013; 77:759–60 (Editorial)
Bossuyt PM. (*see* de Wijkerslooth et al). 2013; 77:617–23
Böttner M. (*see* Fritscher-Ravens et al). 2013; 77:262–71
Bourke MJ. (*see* Bassan et al). 2013; (*see* Holt et al). 2013; (*see* Metz et al). 2013; 77:484–90; 77:90–5; 77:949–53 (New methods: clinical endoscopy)
Bradley CJ. (*see* Chukmaitov et al). 2013; 77:436–46
Brandt LJ. A gentle touch and a delicate pinch., 2013;77:802 (The art of history and physical examination)
Brauer BC. (*see* Shah et al). 2013; 77:593–600
Bredenoord AJ, Bergman JJ, Fockens P. Aspiration of esophageal mucosa after esophageal stent removal., 2013;77:496–7 (At the focal point)
Brenner H. (*see* Stock et al). 2013; 77:419–29
Bridges RJ. (*see* Rostom et al). 2013; 77:255–61
Brim H. (*see* Laiyemo et al). 2013; 77:447–54
Brown C. (*see* Rostom et al). 2013; 77:255–61
Brown G. (*see* Chandran et al). 2013; 77:891–8
Brown KE. (*see* Tierney et al). 2013; 77:136–40 (Case study)
Brozovic S. (*see* Hyett et al). 2013; 77:551–7
Brugge WR. (*see* Daglilar et al). 2013; (*see* Oh and Brugge). 2013; 77:526–33 (Technical review); 77:815–9 (New methods: experimental endoscopy)
Bruno MJ. (*see* Didden et al). 2013; 77:664–8 (Case study)
Bujanda L. (*see* Jover et al). 2013; 77:381–9
Bullano A. (*see* Arezzo et al). 2013; 77:974–5 (Letter to the editor)
Buoncristiano T. (*see* Guarner-Argente et al). 2013; 77:190–9
Burbridge R. (*see* Black et al). 2013; 77:511–2 (Letter to the editor)
Buskens CJ. (*see* Bartels et al). 2013; 77:831–2 (Letter to the editor)
Buttar NS. (*see* Bick et al). 2013; 77:181–9
Buxi TBS. (*see* Arora et al). 2013; 77:152–4 (Brief report)
Byrne TJ. (*see* Hsieh et al). 2013; 77:47–54

C

Cacho G. (*see* Jover et al). 2013; 77:381–9
Cai J, Zhu W, Lv C, Zhang Z, Zhi F, Jiang B. Esophageal variceal bleeding caused by posterior mediastinal Castleman's disease., 2013;77:658–9 (At the focal point)
Cameron D. (*see* Tutticci et al). 2013; 77:831 (Letter to the editor)
Cameron R, Binmoeller KF. Cyanoacrylate applications in the GI tract., 2013;77:846–57 (Technical review)
Canto MI. (*see* Khashab et al). 2013; 77:119–22 (New methods: experimental endoscopy)
Cao H, Rao S, Tang S-j, Tibbals HF, Spechler S, Chiao J-C. Batteryless implantable dual-sensor capsule for esophageal reflux monitoring., 2013;77:649–53 (New methods: experimental endoscopy)
Cappell MS. (*see* Neumann et al). 2013; 77:293–4 (At the focal point)
Carballo F. (*see* Jover et al). 2013; 77:381–9
Carey EJ. (*see* Hsieh et al). 2013; 77:47–54
Carillo FR. (*see* Roldán et al). 2013; 77:967–71 (Case study)
Carpentier S. (*see* Soulellis et al). 2013; 77:504–7 (Case study)
Carr-Locke DL. (*see* Gralnek et al). 2013; 77:472–9
Carro PG. (*see* Roldán et al). 2013; 77:967–71 (Case study)
Cassani L, Sumner E, Slaughter JC, Yachimski P. Directional distribution of neoplasia in Barrett's esophagus is not influenced by distance from the gastroesophageal junction., 2013;77:877–82
Castells A. (*see* Jover et al). 2013; 77:381–9
Castro F. (*see* Thoma et al). 2013; 77:430–5
Cave DR. (*see* Singh et al). 2013; 77:761–6
Cha IH, Kim JN, Oh MK, Ryu SH, Kim YS, Moon JS, Lee HK. Total necrosis of rapid growing hilar cholangiocarcinoma., 2013;77:956–8 (At the focal point)
Cha S-W, Leung WD, Lehman GA, Watkins JL, McHenry L, Fogel EL, Sherman S. Does leaving a main pancreatic duct stent in place reduce the incidence of precut biliary sphincterotomy–associated pancreatitis? A randomized, prospective study., 2013;77:209–16
Chan FKL. (*see* Chiu et al). 2013; 77:29–38
Chan Y. (*see* Chiu et al). 2013; 77:29–38
Chandra A. (*see* Metz et al). 2013; 77:484–90
Chandran S, Testro A, Urquhart P, La Nauze R, Ong S, Shelton E, Philpott H, Sood S, Vaughan R, Kemp W, Brown G, Froomes P. Risk stratification of upper GI bleeding with an esophageal capsule., 2013;77:891–8
Chang H-C. (*see* Chiu et al). 2013; 77:294–6 (At the focal point)
Chang KJ. (*see* Iwashita et al). 2013; 77:909–15
Chang W-K. (*see* Chen et al). 2013; 77:79–89
Chaparro M. (*see* Jover et al). 2013; 77:381–9
Charabaty A. (*see* Laiyemo et al). 2013; 77:447–54
Chari ST. (*see* Fujii et al). 2013; 77:824–8 (Case study)
Charpentier JP. (*see* Hyett et al). 2013; 77:551–7
Chaudhuri B. (*see* Singh et al). 2013; 77:761–6
Chavez YH. (*see* Khashab et al). 2013; 77:646–8 (Thinking outside the box)
Chayama K. (*see* Higashimaya et al). 2013; (*see* Kuwabara et al). 2013; 77:298–302 (Case study); 77:973–4 (Letter to the editor)
Chen M. (*see* Ding et al). 2013; 77:673–4 (Letter to the editor)
Chen P-J, Li C-H, Huang T-Y, Shih Y-L, Chu H-C, Chang W-K, Hsieh T-Y. Carbon dioxide insufflation does not reduce pain scores during colonoscope insertion in unsedated patients: as randomized, controlled trial., 2013;77:79–89
Chen Y-H, Lai H-J. Acute hemorrhagic colitis after oral administration of oseltamivir for influenza., 2013;77:976 (Letter to the editor)
Chen Y-I. (*see* Soulellis et al). 2013; 77:504–7 (Case study)
Chennat J. (*see* Saligram et al). 2013; 77:872–6
Chiao J-C. (*see* Cao et al). 2013; 77:649–53 (New methods: experimental endoscopy)
Chiu H-Y, Tang E-K, Chang H-C, Goan Y-G. An uncommon cause of esophageal ulcer: a diagnostic pitfall., 2013;77:294–6 (At the focal point)
Chiu PWY. (*see* Teoh et al). 2013; 77:498–500 (At the focal point)
Chiu PWY, Wu JCY, Teoh AYB, Chan Y, Wong SKH, Liu SYW, Yung MY, Lam CCH, Sung JJY, Chan FKL, Lau JYW, Ng EKW. Peroral endoscopic myotomy for treatment of achalasia: from bench to bedside (with video)., 2013;77:29–38
Cho J-H. (*see* Bok et al). 2013; 77:899–908
Cho JY. (*see* Bok et al). 2013; 77:899–908
Choi IH. (*see* Bok et al). 2013; 77:899–908
Choi JH. (*see* Lee Jun Kyu et al). 2013; 77:745–51
Chu H-C. (*see* Chen et al). 2013; 77:79–89
Chugh P. (*see* Hsu et al). 2013; 77:960–6 (Case study)
Chukmaitov A, Bradley CJ, Dahman B, Siangphoe U, Warren JL, Klabunde CN. Association of polypectomy techniques, endoscopist volume, and facility type with colonoscopy complications., 2013;77:436–46
Chuttani R. (*see* Tewani et al). 2013; 77:601–8
Ciacci C. (*see* Iovino et al). 2013; 77:233–40
Claggett B. (*see* Turcotte et al). 2013; 77:624–30
Claggett BL. (*see* Hyett et al). 2013; 77:551–7
Coe SG, Wallace MB. Assessment of adenoma detection rate benchmarks in women *versus* men., 2013;77:631–5
Cohen H. (*see* Wang et al). 2013; 77:71–8
COLONPREV Study Investigators. (*see* Jover et al). 2013; 77:381–9
Córdova H, San José Estépar R, Rodríguez-D'Jesús A, Martínez-Pallí G, Arguis P, Rodríguez de Miguel C, Navarro-Ripoll R, Perdomo JM, Cuatrecasa M, Llach J, Vosburgh KG, Fernández-Esparrach G. Comparative study of NOTES alone *versus* NOTES guided by a new image registration system for navigation in the mediastinum: a study in a porcine model., 2013;77:102–7
Costamagna G, Boškoski I. Needle-knife electrocautery: "Give me a lever and I will move the world.", 2013;77:759–60 (Editorial)
Coté GA. (*see* Wagh et al). 2013; (*see* Wani et al). 2013; 77:55–61; 77:558–65
Croese J. (*see* Tutticci et al). 2013; 77:831 (Letter to the editor)
Cross AJ. (*see* Laiyemo et al). 2013; 77:447–54
Crowell MD. (*see* Dzeletovic et al). 2013; (*see* Hsieh et al). 2013; (*see* Patel et al). 2013; 77:390–4; 77:47–54; 77:883–7
Cuatrecasa M. (*see* Córdova et al). 2013; 77:102–7
Cubiella J. (*see* Jover et al). 2013; 77:381–9

D

da Silveira Bossi M. (*see* Nagasako et al). 2013; 77:955–6 (At the focal point)
Daglilar ES, Yoon WJ, Mino-Kenudson M, Brugge WR. Controlled swine bile duct ablation with a bipolar radiofrequency catheter., 2013;77:815–9 (New methods: experimental endoscopy)
Dahiya D. (*see* Rao et al). 2013; 77:512–3 (Letter to the editor)
Dahman B. (*see* Chukmaitov et al). 2013; 77:436–46
Dang S. (*see* Rego et al). 2013; 77:157–9 (Letter to the editor)
Das A. (*see* Hsieh et al). 2013; 77:47–54
Daugherty DF. (*see* Sipe et al). 2013; 77:932–6
Davies SF. (*see* Berzosa et al). 2013; 77:200–8
Davison JM. (*see* Saligram et al). 2013; 77:872–6

de la Serna-Higuera C, Pérez-Miranda M, Gil-Simón P, Ruiz-Zorrilla R, Diez-Redondo P, Alcaide N, Sancho-del Val L, Nuñez-Rodriguez H. EUS-guided transenteric gallbladder drainage with a new fistula-forming, lumen-apposing metal stent., 2013;77:303–8 (Case study)
de Ridder R. (*see* Didden et al). 2013; 77:664–8 (Case study)
de Wijkerslooth TR, Stoop EM, Bossuyt PM, Tytgat KMAJ, Dees J, Mathus-Vliegen EMH, Kuipers EJ, Fockens P, van Leerdam ME, Dekker E. Differences in proximal serrated polyp detection among endoscopists are associated with variability in withdrawal time., 2013;77:617–23
de-Castro L. (*see* Jover et al). 2013; 77:381–9
Dea SK. (*see* Singhvi and Dea). 2013; 77:938–40 (The fellows' corner)
Debol SM. (*see* Berzosa et al). 2013; 77:200–8
Dees J. (*see* de Wijkerslooth et al). 2013; 77:617–23
Dekker E. (*see* de Wijkerslooth et al). 2013; (*see* Hazewinkel et al). 2013; (*see* Lopez-Ceron et al). 2013; 77:542–50; 77:617–23; 77:916–24
DeMarco DC. (*see* Lara and DeMarco). 2013; 77:671–2 (Letter to the editor)
Denzer UW. (*see* von Renteln et al). 2013; 77:784–92
Deprez PH. EUS elastography: is it replacing or supplementing tissue acquisition?, 2013;77:590–2 (Editorial)
Devière J. (*see* Huberty et al). 2013; 77:701–7
Di Leo M. (*see* Mariani et al). 2013; 77:314–5 (Letter to the editor)
Didden P, Spaander MCW, de Ridder R, Berk L, van Tilburg AJP, Leeuwenburgh I, Kuipers EJ, Bruno MJ. Efficacy and safety of a partially covered stent in malignant gastric outlet obstruction: a prospective Western series., 2013;77:664–8 (Case study)
Diez-Redondo P. (*see* de la Serna-Higuera et al). 2013; 77:303–8 (Case study)
Dijkgraaf MGW. (*see* van Halsema et al). 2013; 77:18–28
Ding X, Chen M, Huang S, Zhang S, Zou X. Response to: Nonsteroidal anti-inflammatory drugs for prevention of post-ERCP pancreatitis: a complementary meta-analysis., 2013;77:673–4 (Letter to the editor)
Do A, Weinberg J, Kakkar A, Jacobson BC. Reliability of adenoma detection rate is based on procedural volume., 2013;77:376–80
Dodig M. (*see* Sanaka et al). 2013; 77:62–70
Doubeni C. (*see* Laiyemo et al). 2013; 77:447–54
Douglas DD. (*see* Hsieh et al). 2013; 77:47–54
Drew K. (*see* Kurien et al). 2013; 77:227–32
Dry SM. (*see* Share et al). 2013; 77:308–12 (Case study)
Dubé C. (*see* Rostom et al). 2013; 77:255–61
Dulai PS, Pohl H, Levenick JM, Gordon SR, MacKenzie TA, Rothstein RI. Radiofrequency ablation for long- and ultralong-segment Barrett's esophagus: a comparative long-term follow-up study., 2013;77:534–41
Dunst CM. (*see* Kurian et al). 2013; 77:719–25
Dzeletovic I, Harrison ME, Crowell MD, Ramirez FC, Yows CR, Harris LA, Pasha SF, Gurudu SR, Leighton JA, Heigh RI. Impact of fentanyl in lieu of meperidine on endoscopy unit efficiency: a prospective comparative study in patients undergoing EGD., 2013;77:883–7

E

Early D. (*see* Wani et al). 2013; 77:558–65
Easler JJ. Quality improvement for the gastroenterology fellow., 2013;77:281–3 (The fellows' corner)
East JE. (*see* Hazewinkel et al). 2013; 77:916–24
Edmundowicz S. (*see* Wani et al). 2013; 77:558–65
Edmundowicz SA. To clip or not to clip: is that the question?, 2013;77:408–9 (Editorial)
Eisen GM. (*see* Enestvedt et al). 2013; (*see* Gralnek et al). 2013; 77:410–8; 77:464–71
El Bacha S. (*see* Huberty et al). 2013; 77:701–7
El Hajj II, Lim LY, Luz LP, Fayad NF. Unusual intussusception within a hiatal hernia sac, reduced endoscopically., 2013;77:820–1 (At the focal point)
El Majzoub NW, Eloubeidi MA. Intrapapillary mucinous tumor of the pancreas (with video)., 2013;77:502–3 (At the focal point)
El-Youssef M. (*see* Fujii et al). 2013; 77:824–8 (Case study)
Ell C. (*see* Messer et al). 2013; 77:241–9
Ellrichmann M. (*see* Fritscher-Ravens et al). 2013; 77:262–71
Ellsworth E. (*see* Siddiqui et al). 2013; 77:669–70 (Letter to the editor)
Eloubeidi MA. (*see* Bang et al). 2013; (*see* El Majzoub and Eloubeidi). 2013; 77:502–3 (At the focal point); 77:739–44
Elson CO. (*see* Wilcox and Elson). 2013; 77:677–8 (In memoriam)
Enderle MD. (*see* von Renteln et al). 2013; 77:784–92
Enders FT. (*see* Bick et al). 2013; 77:181–9
Enestvedt BK, Eisen GM, Holub J, Lieberman DA. Is the American Society of Anesthesiologists classification useful in risk stratification for endoscopic procedures?, 2013;77:464–71
Evans KE. (*see* Kurien et al). 2013; 77:227–32

F

Faigel DO. (*see* Patel et al). 2013; 77:390–4
Falk GW. (*see* Guarner-Argente et al). 2013; 77:190–9
Fallone CA. (*see* Soulellis et al). 2013; 77:504–7 (Case study)
Fan D. (*see* Luo et al). 2013; 77:767–73
Farraye FA. (*see* Rao et al). 2013; 77:316–8 (Letter to the editor)
Fasanella KE. (*see* Saligram et al). 2013; 77:872–6
Fayad NF. (*see* El Hajj et al). 2013; 77:820–1 (At the focal point)
Fedorak RN. (*see* Turcotte et al). 2013; 77:624–30
Fenster J. (*see* Gralnek et al). 2013; 77:472–9
Fernández-Díez S. (*see* Jover et al). 2013; 77:381–9
Fernández-Esparrach G. (*see* Córdova et al). 2013; 77:102–7
Ferrando-Lamana L. (*see* Molina-Infante et al). 2013; 77:131–2 (At the focal point)
Ferrara E. (*see* Repici et al). 2013; 77:96–101
Ferreira C. (*see* Noronha Ferreira et al). 2013; 77:497–8 (At the focal point)
Ferreira J. (*see* Noronha Ferreira et al). 2013; 77:497–8 (At the focal point)
Filip D, Yadid-Pecht O, Muench G, Mintchev MP, Andrews CN. Suture marker lesion detection in the colon by self-stabilizing and unmodified capsule endoscopes: pilot study in acute canine models., 2013;77:272–9
Finkelstein SD. (*see* Siddiqui et al). 2013; 77:669–70 (Letter to the editor)
Fischer H. (*see* Arezzo et al). 2013; 77:974–5 (Letter to the editor)
Fischer M. (*see* Sipe et al). 2013; 77:932–6
Fleischer DE. (*see* van Halsema et al). 2013; 77:18–28
Fockens P. (*see* Bredenoord et al). 2013; (*see* de Wijkerslooth et al). 2013; (*see* Hazewinkel et al). 2013; (*see* Lopez-Ceron et al). 2013; (*see* van Halsema et al). 2013; 77:18–28; 77:496–7 (At the focal point); 77:542–50; 77:617–23; 77:916–24
Fogel EL. (*see* Cha et al). 2013; (*see* Wagh et al). 2013; 77:209–16; 77:55–61
Foley A. (*see* Singh et al). 2013; 77:761–6
Fraser C. (*see* Komeda et al). 2013; 77:395–400
Freire JP. (*see* Noronha Ferreira et al). 2013; 77:497–8 (At the focal point)
Fritscher-Ravens A, Milla P, Ellrichmann M, Hellwig I, Böttner M, Hadeler K-G, Wedel T. A novel endoscopic prototype device for gastric full-thickness biopsy for the histopathologic diagnosis of GI neuromuscular pathology: in vivo porcine long-term survival study (with videos)., 2013;77:262–71
Froomes P. (*see* Chandran et al). 2013; 77:891–8
Fujihara S. (*see* Kobara et al). 2013; 77:141–5 (Case study)
Fujii LL, Chari ST, El-Youssef M, Takahashi N, Topazian MD, Zhang L, Levy MJ. Pediatric pancreatic EUS-guided trucut biopsy for evaluation of autoimmune pancreatitis., 2013;77:824–8 (Case study)
Fujiya M, Kohgo Y. Image-enhanced endoscopy for the diagnosis of colon neoplasms., 2013;77:111–8 (Review article)
Furth EE. (*see* Guarner-Argente et al). 2013; 77:190–9

G

Gaddam S. (*see* Giacchino et al). 2013; 77:711–8
Galeazzi F. (*see* Savarino et al). 2013; 77:832 (Letter to the editor)
Galloro G. (*see* Iovino et al). 2013; 77:233–40
Gao D-j, Hu B, Pan Y-m, Wang T-t, Wu J, Lu R, Wang S-p, Shi Z-m, Huang H, Wang S-z. Feasibility of using wire-guided needle-knife electrocautery for refractory biliary and pancreatic strictures., 2013;77:752–8
Gerding JS. (*see* Obstein et al). 2013; 77:516–7 (Letter to the editor)
Ghuman SS. (*see* Arora et al). 2013; 77:152–4 (Brief report)
Giacchino M, Bansal A, Kim RE, Singh V, Hall SB, Singh M, Rastogi A, Moloney B, Wani SB, Gaddam S, Mathur SC, Wallace MB, Kanakadandi V, Balasubramanian G, Gupta N, Sharma P. Clinical utility and interobserver agreement of autofluorescence imaging and magnification narrow-band imaging for the evaluation of Barrett's esophagus: a prospective tandem study., 2013;77:711–8
Gil-Simón P. (*see* de la Serna-Higuera et al). 2013; 77:303–8 (Case study)
Ginsberg GG. (*see* Guarner-Argente et al). 2013; (*see* van Halsema et al). 2013; 77:18–28; 77:190–9
Giussani A. (*see* Mariani et al). 2013; 77:314–5 (Letter to the editor)
Goan Y-G. (*see* Chiu et al). 2013; 77:294–6 (At the focal point)
Godfrey C. (*see* Metz et al). 2013; 77:484–90
Gong W. (*see* Zhuang et al). 2013; 77:315–6 (Letter to the editor)
González-Méndez Y. (*see* Jover et al). 2013; 77:381–9
Gordon SR. (*see* Dulai et al). 2013; 77:534–41
Gostout CJ. (*see* Azeem et al). 2013; (*see* Bonin et al). 2013; 77:123–30 (New methods: experimental endoscopy); 77:568–77
Gotoda T. (*see* Itoi et al). 2013; 77:793–800

Gralnek IM, Carr-Locke DL, Segol O, Halpern Z, Siersema PD, Sloyer A, Fenster J, Lewis BS, Santo E, Suissa A, Segev M. Comparison of standard forward-viewing mode *versus* ultrawide-viewing mode of a novel colonoscopy platform: a prospective, multicenter study in the detection of simulated polyps in an in vitro colon model (with video)., 2013;77:472–9
Gralnek IM, Ron-Tal Fisher O, Holub JL, Eisen GM. The role of colonoscopy in evaluating hematochezia: a population-based study in a large consortium of endoscopy practices., 2013;77:410–8
Grauer M. (*see* Neumann et al). 2013; 77:975–6 (Letter to the editor)
Gu J. (*see* Zhuang et al). 2013; 77:315–6 (Letter to the editor)
Gu M. (*see* Iwashita et al). 2013; 77:909–15
Gu W-J, Liu J-C. Nonsteroidal anti-inflammatory drugs for prevention of post-ERCP pancreatitis: a complementary meta-analysis., 2013;77:672–3 (Letter to the editor)
Guarner-Argente C, Buoncristiano T, Furth EE, Falk GW, Ginsberg GG. Long-term outcomes of patients with Barrett's esophagus and high-grade dysplasia or early cancer treated with endoluminal therapies with intention to complete eradication., 2013;77:190–9
Guo X. (*see* Luo et al). 2013; 77:767–73
Gupta K. (*see* Berzosa et al). 2013; 77:200–8
Gupta N. (*see* Giacchino et al). 2013; 77:711–8
Gupta S. (*see* Laiyemo et al). 2013; 77:447–54
Gurudu SR. (*see* Dzeletovic et al). 2013; (*see* Patel et al). 2013; 77:390–4; 77:883–7

H

Haas S. (*see* von Renteln et al). 2013; 77:784–92
Hadeler K-G. (*see* Fritscher-Ravens et al). 2013; 77:262–71
Hall M. (*see* Wani et al). 2013; 77:558–65
Hall SB. (*see* Giacchino et al). 2013; 77:711–8
Halpern Z. (*see* Gralnek et al). 2013; 77:472–9
Hamada T. (*see* Yamamoto et al). 2013; 77:809–14 (New methods: clinical endoscopy)
Hamada T, Nakai Y, Isayama H, Koike K. Transpapillary *versus* transmural biliary drainage in patients with an indwelling duodenal stent: when is one indicated over the other?, 2013;77:670 (Letter to the editor)
Hardy A. (*see* Shah et al). 2013; 77:593–600
Harris LA. (*see* Dzeletovic et al). 2013; 77:883–7
Harrison ME. (*see* Alkhatib et al). 2013; (*see* Dzeletovic et al). 2013; (*see* Hsieh et al). 2013; 77:133–5 (At the focal point); 77:47–54; 77:883–7
Hashash JG, Behari J. An endoclip for life?, 2013;77:296–7 (At the focal point)
Hassan C. (*see* Repici et al). 2013; 77:96–101
Hassid S. (*see* Huberty et al). 2013; 77:701–7
Hawes R. (*see* Teoh et al). 2013; 77:500–1 (At the focal point)
Hayashi Y. (*see* Ootani et al). 2013; 77:514–5 (Letter to the editor)
Hazewinkel Y, López-Cerón M, East JE, Rastogi A, Pellisé M, Nakajima T, van Eeden S, Tytgat KMAJ, Fockens P, Dekker E. Endoscopic features of sessile serrated adenomas: validation by international experts using high-resolution white-light endoscopy and narrow-band imaging., 2013;77:916–24
He L-j. (*see* Li et al). 2013; 77:159–60 (Letter to the editor)
Hebert-Magee S. (*see* Bang et al). 2013; 77:829–31 (Letter to the editor)
Heigh RI. (*see* Dzeletovic et al). 2013; 77:883–7
Hellwig I. (*see* Fritscher-Ravens et al). 2013; 77:262–71
Hermo JA. (*see* Jover et al). 2013; 77:381–9
Hernandez AV. (*see* Thoma et al). 2013; 77:430–5
Hernández RV. (*see* Roldán et al). 2013; 77:967–71 (Case study)
Herreros-de-Tejada A. (*see* Jover et al). 2013; 77:381–9
Higashi R. (*see* Uraoka et al). 2013; 77:480–3
Higashimaya M, Oka S, Tanaka S, Numata N, Sanomura Y, Yoshida S, Arihiro K, Chayama K. Endoscopic submucosal dissection for residual early gastric cancer after endoscopic submucosal dissection., 2013;77:298–302 (Case study)
Hilsden RJ. (*see* Rostom et al). 2013; 77:255–61
Hirano K. (*see* Yamamoto et al). 2013; 77:809–14 (New methods: clinical endoscopy)
Hirata N. (*see* Nakaji et al). 2013; 77:958–9 (At the focal point)
Hiyama T. (*see* Kuwabara et al). 2013; 77:973–4 (Letter to the editor)
Hoffmeister M. (*see* Stock et al). 2013; 77:419–29
Hollander TG. (*see* Wani et al). 2013; 77:558–65
Holt B. (*see* Bassan et al). 2013; 77:90–5
Holt BA, Jayasekeran V, Sonson R, Bourke MJ. Topical submucosal chromoendoscopy defines the level of resection in colonic EMR and may improve procedural safety (with video)., 2013;77:949–53 (New methods: clinical endoscopy)
Holub J. (*see* Enestvedt et al). 2013; 77:464–71
Holub JL. (*see* Gralnek et al). 2013; 77:410–8
Honjo M. (*see* Itoi et al). 2013; 77:793–800
Hoshino S. (*see* Shiwaku et al). 2013; 77:149–50 (Brief report)
Hovis CE. (*see* Wani et al). 2013; 77:558–65
Howell DA. (*see* Shah et al). 2013; 77:593–600
Hsieh T-H, Mekeel KL, Crowell MD, Nguyen CC, Das A, Aqel BA, Carey EJ, Byrne TJ, Vargas HE, Douglas DD, Mulligan DC, Harrison ME. Endoscopic treatment of anastomotic biliary strictures after living donor liver transplantation: outcomes after maximal stent therapy., 2013;77:47–54
Hsieh T-Y. (*see* Chen et al). 2013; 77:79–89
Hsu EK, Chugh P, Kronman MP, Markowitz JE, Piccoli DA, Mamula P. Incidence of perforation in pediatric GI endoscopy and colonoscopy: an 11-year experience., 2013;77:960–6 (Case study)
Hu B. (*see* Gao et al). 2013; 77:752–8
Hu H. (*see* Saligram et al). 2013; 77:872–6
Hu L-H. (*see* Liao et al). 2013; 77:39–46
Hu Y. (*see* Shao et al). 2013; 77:156 (Letter to the editor)
Huang H. (*see* Gao et al). 2013; 77:752–8
Huang Q. (*see* Shao et al). 2013; 77:156 (Letter to the editor)
Huang S. (*see* Ding et al). 2013; 77:673–4 (Letter to the editor)
Huang T-Y. (*see* Chen et al). 2013; 77:79–89
Huberty V, El Bacha S, Blero D, Le Moine O, Hassid S, Devière J. Endoscopic treatment for Zenker's diverticulum: long-term results (with video)., 2013;77:701–7
Hyett BH, Abougergi MS, Charpentier JP, Kumar NL, Brozovic S, Claggett BL, Travis AC, Saltzman JR. The AIMS65 score compared with the Glasgow-Blatchford score in predicting outcomes in upper GI bleeding., 2013;77:551–7

I

Ihle P. (*see* Stock et al). 2013; 77:419–29
Inoue H. (*see* Khashab et al). 2013; (*see* Shiwaku et al). 2013; 77:119–22 (New methods: experimental endoscopy); 77:149–50 (Brief report); 77:646–8 (Thinking outside the box)
Inuzuka T, Okabe Y, Nishikawa H, Osaki Y. A case of Zollinger-Ellison syndrome diagnosed by duodenal ulcer perforation into the gallbladder., 2013;77:659–61 (At the focal point)
Iovino P, Pascariello A, Russo I, Galloro G, Pellegrini L, Ciacci C. Difficult diagnosis of celiac disease: diagnostic accuracy and utility of chromo-zoom endoscopy., 2013;77:233–40
Isayama H. (*see* Hamada et al). 2013; (*see* Itoi et al). 2013; (*see* Yamamoto et al). 2013; 77:670 (Letter to the editor); 77:793–800; 77:809–14 (New methods: clinical endoscopy)
Ishii E. (*see* Nakaji et al). 2013; 77:958–9 (At the focal point)
Islam RS. (*see* Patel et al). 2013; 77:390–4
Ito Y. (*see* Yamamoto et al). 2013; 77:809–14 (New methods: clinical endoscopy)
Itoi T, Gotoda T, Baron TH, Sofuni A, Itokawa F, Tsuji S, Tsuchiya T, Tanaka R, Tonozuka R, Honjo M, Ryozawa S, Kawai T, Moriyasu F, Isayama H. Creation of simulated papillae for endoscopic sphincterotomy and papillectomy training by using in vivo and ex vivo pig model (with videos)., 2013;77:793–800
Itokawa F. (*see* Itoi et al). 2013; 77:793–800
Iwashita T, Nakai Y, Samarasena JB, Park DH, Zhang Z, Gu M, Lee JG, Chang KJ. High single-pass diagnostic yield of a new 25-gauge core biopsy needle for EUS-guided FNA biopsy in solid pancreatic lesions., 2013;77:909–15

J

Jacobson BC. (*see* Do et al). 2013; (*see* Menees et al). 2013; 77:376–80; 77:641–5 (Perspectives)
Jang K-T. (*see* Lee Jun Kyu et al). 2013; 77:745–51
Jayasekeran V. (*see* Holt et al). 2013; 77:949–53 (New methods: clinical endoscopy)
Jeon SR. (*see* Bok et al). 2013; 77:899–908
Jiang B. (*see* Cai et al). 2013; 77:658–9 (At the focal point)
Jimenez Cantisano BG. (*see* Thoma et al). 2013; 77:430–5
Jin P. (*see* Mei et al). 2013; 77:578–89
Jin SY. (*see* Bok et al). 2013; (*see* Lee et al). 2013; 77:821–2 (At the focal point); 77:899–908
Johnson CS. (*see* Kahi et al). 2013; 77:925–31
Jonnalagadda SS. (*see* Shah et al). 2013; 77:593–600
Joshi K. (*see* Rao et al). 2013; 77:512–3 (Letter to the editor)
Jovanovic P. (*see* Salkic et al). 2013; 77:822–3 (At the focal point)
Jover R, Zapater P, Polanía E, Bujanda L, Lanas A, Hermo JA, Cubiella J, Ono A, González-Méndez Y, Peris A, Pellisé M, Seoane A, Herreros-de-Tejada A, Ponce M, Marín-Gabriel JC, Chaparro M, Cacho G, Fernández-Díez S, Arenas J, Sopeña F, de-Castro L, Vega-Villaamil P, Rodríguez-Soler M, Carballo F, Salas D, Morillas JD, Andreu M, Quintero E, Castells A, COLONPREV Study Investigators. Modifiable endoscopic factors that influence the adenoma detection rate in colorectal cancer screening colonoscopies., 2013;77:381–9

K

Kahi CJ, Anderson J, Rex DK. Screening and surveillance for colorectal cancer: state of the art., 2013;77:335–50 (Review article)
Kahi CJ, Ballard D, Shah AS, Mears R, Johnson CS. Impact of a quarterly report card on colonoscopy quality measures., 2013;77:925–31

Kaindlstorfer A. (*see* Koch et al). 2013; 77:7–14
Kakkar A. (*see* Do et al). 2013; 77:376–80
Kalloo AN. (*see* Khashab et al). 2013; 77:119–22 (New methods: experimental endoscopy); 77: 646–8 (Thinking outside the box)
Kaltenbach T. (*see* Sanchez-Yague et al). 2013; 77:155 (Letter to the editor)
Kamata H. (*see* Kobara et al). 2013; 77:141–5 (Case study)
Kanakadandi V. (*see* Giacchino et al). 2013; 77: 711–8
Kane SD. (*see* Binmoeller et al). 2013; 77:803–8 (New methods: clinical endoscopy)
Kao D. (*see* Turcotte et al). 2013; 77:624–30
Kao D, Zepeda-Gomez S, Tandon P, Bain VG. Managing the post–liver transplantation anastomotic biliary stricture: multiple plastic *versus* metal stents: a systematic review., 2013;77: 679–91 (Review article)
Kato H. (*see* Matsumoto et al). 2013; 77:132–3 (At the focal point)
Kato K, Sugitani M, Matsukawa Y, Sato H, Moriyama M, Soma M. Long-term gastric plasmacytoma follow-up after *Helicobacter pylori* eradication., 2013;77:674–5 (Letter to the editor)
Kato M. (*see* Shimizu et al). 2013; 77:972–3 (Letter to the editor)
Katzka DA. (*see* Bick et al). 2013; 77:181–9
Katzka DA, Baron TH. Transoral flexible endoscopic therapy of Zenker's diverticulum: is it time for gastroenterologists to stick their necks out?, 2013;77:708–10 (Editorial)
Kawai T. (*see* Itoi et al). 2013; 77:793–800
Kawakami H. (*see* Yamamoto et al). 2013; 77: 809–14 (New methods: clinical endoscopy)
Kawamoto H. (*see* Matsumoto et al). 2013; 77: 132–3 (At the focal point)
Kedika R. (*see* Siddiqui et al). 2013; 77:669–70 (Letter to the editor)
Kelsey SG. (*see* Rostom et al). 2013; 77:255–61
Kemp W. (*see* Chandran et al). 2013; 77:891–8
Keswani R. (*see* Wani et al). 2013; 77:558–65
Khalaf R. (*see* Lynch et al). 2013; 77:455–63
Khashab MA, Levy MJ. Response to: Transpapillary *versus* transmural biliary drainage in patients with an indwelling duodenal stent: when is one indicated over the other?, 2013;77:670–1 (Letter to the editor)
Khashab MA, Pasricha PJ. Conquering the third space: challenges and opportunities for diagnostic and therapeutic endoscopy., 2013;77:146–8 (Editorial)
Khashab MA, Saxena P, Kord Valeshabad A, Chavez YH, Zhang F, Akshintala V, Aguila G, Inoue H, Pasricha PJ, Neuhaus H, Kalloo AN. Novel technique for submucosal tunneling and endoscopic resection of submucosal tumors (with video)., 2013;77:646–8 (Thinking outside the box)
Khashab MA, Sharaiha RZ, Saxena P, Law JK, Singh VK, Lennon AM, Shin EJ, Canto MI, Aguila G, Okolo PI 3rd, Stavropoulos SN, Inoue H, Pasricha PJ, Kalloo AN. Novel technique of autotunneling during peroral endoscopic myotomy (with video)., 2013;77:119–22 (New methods: experimental endoscopy)
Khashab MA. Thoughts on starting a peroral endoscopic myotomy program., 2013;77:109–10 (The fellows' corner)
Kiesslich R. (*see* Murthy and Kiesslich). 2013; 77: 351–9 (Review article)
Kim HG. (*see* Bok et al). 2013; 77:899–908
Kim JN. (*see* Cha et al). 2013; 77:956–8 (At the focal point)
Kim KM. (*see* Lee Jun Kyu et al). 2013; 77:745–51
Kim RE. (*see* Giacchino et al). 2013; 77:711–8
Kim YS. (*see* Cha et al). 2013; 77:956–8 (At the focal point)
Kirnake V. (*see* Arora et al). 2013; 77:152–4 (Brief report)
Klabunde CN. (*see* Chukmaitov et al). 2013; 77: 436–46
Knipschield M. (*see* Bonin et al). 2013; 77:123–30 (New methods: experimental endoscopy)
Kobara H, Mori H, Fujihara S, Nishiyama N, Kobayashi M, Kamata H, Masaki T. Bloc biopsy by using submucosal endoscopy with a mucosal flap method for gastric subepithelial tumor tissue sampling (with video)., 2013;77:141–5 (Case study)
Kobayashi M. (*see* Kobara et al). 2013; (*see* Nakaji et al). 2013; 77:141–5 (Case study); 77:958–9 (At the focal point)
Koch OO, Kaindlstorfer A, Antoniou SA, Spaun G, Pointner R, Swanstrom LL. Subjective and objective data on esophageal manometry and impedance pH monitoring 1 year after endoscopic full-thickness plication for the treatment of GERD by using multiple plication implants., 2013;77:7–14
Kochman ML. (*see* Sedarat and Kochman). 2013; 77:566–7 (Editorial)
Kogure H. (*see* Yamamoto et al). 2013; 77:809–14 (New methods: clinical endoscopy)
Kohgo Y. (*see* Fujiya and Kohgo). 2013; 77:111–8 (Review article)
Koike K. (*see* Hamada et al). 2013; (*see* Yamamoto et al). 2013; 77:670 (Letter to the editor); 77: 809–14 (New methods: clinical endoscopy)
Komanduri S. (*see* Wani et al). 2013; 77:558–65
Komeda Y, Suzuki N, Sarah M, Thomas-Gibson S, Vance M, Fraser C, Patel K, Saunders BP. Factors associated with failed polyp retrieval at screening colonoscopy., 2013;77:395–400
Kong J. (*see* Sun et al). 2013; 77:774–83
Kord Valeshabad A. (*see* Khashab et al). 2013; 77:646–8 (Thinking outside the box)
Kowalski TE. (*see* Siddiqui et al). 2013; 77:669–70 (Letter to the editor)
Kozarek RA. (*see* Shah et al). 2013; 77:593–600
Kronman MP. (*see* Hsu et al). 2013; 77:960–6 (Case study)
Kuipers EJ. (*see* de Wijkerslooth et al). 2013; (*see* Didden et al). 2013; 77:617–23; 77:664–8 (Case study)
Kumar A. (*see* Arora et al). 2013; 77:152–4 (Brief report)
Kumar M. (*see* Rao et al). 2013; 77:512–3 (Letter to the editor)
Kumar NL. (*see* Hyett et al). 2013; 77:551–7
Kurian AA, Dunst CM, Sharata A, Bhayani NH, Reavis KM, Swanström LL. Peroral endoscopic esophageal myotomy: defining the learning curve., 2013;77:719–25
Kurien M, Evans KE, Aziz I, Sidhu R, Drew K, Rogers TL, McAlindon ME, Sanders DS. Capsule endoscopy in adult celiac disease: a potential role in equivocal cases of celiac disease?, 2013; 77:227–32
Kuwabara T, Hiyama T, Oka S, Urabe Y, Tanaka S, Yoshihara M, Arihiro K, Shimamoto F, Chayama K. Response to: What is an adequate management strategy for pharyngeal low-grade dysplasia?, 2013;77:973–4 (Letter to the editor)
Kuwatani M. (*see* Yamamoto et al). 2013; 77: 809–14 (New methods: clinical endoscopy)

L

La Nauze R. (*see* Chandran et al). 2013; 77:891–8
Lai H-J. (*see* Chen and Lai). 2013; 77:976 (Letter to the editor)
Laine L. (*see* Aslanian and Laine). 2013; 77:508–10 (Editorial)
Laiyemo AO, Doubeni C, Brim H, Ashktorab H, Schoen RE, Gupta S, Charabaty A, Lanza E, Smoot DT, Platz E, Cross AJ. Short- and long-term risk of colorectal adenoma recurrence among whites and blacks., 2013;77:447–54
Lal A. (*see* Rao et al). 2013; 77:512–3 (Letter to the editor)
Lam CCH. (*see* Chiu et al). 2013; 77:29–38
Lam-Himlin D. (*see* Limketkai et al). 2013; (*see* Park et al). 2013; 77:284–92 (Pathology article); 77:360–75 (Review article)
Lanas A. (*see* Jover et al). 2013; 77:381–9
Lanza E. (*see* Laiyemo et al). 2013; 77:447–54
Lara LF, DeMarco DC. Double-balloon overtube—assisted endoscopic pancreas function test as a tool to rule out chronic pancreatitis in a patient with a previous Frey procedure., 2013;77:671–2 (Letter to the editor)
Lau JYW. (*see* Chiu et al). 2013; 77:29–38
Law JK. (*see* Khashab et al). 2013; 77:119–22 (New methods: experimental endoscopy)
Le Moine O. (*see* Huberty et al). 2013; 77:701–7
Lee HK. (*see* Cha et al). 2013; 77:956–8 (At the focal point)
Lee JG. (*see* Iwashita et al). 2013; 77:909–15
Lee Jong Kyun. (*see* Lee Jun Kyu et al). 2013; 77:745–51
Lee JS. (*see* Lee et al). 2013; 77:821–2 (At the focal point)
Lee Jun Kyu, Choi JH, Lee KH, Kim KM, Shin JU, Lee Jong Kyun, Lee KT, Jang K-T. A prospective, comparative trial to optimize sampling techniques in EUS-guided FNA of solid pancreatic masses., 2013;77:745–51
Lee KH. (*see* Lee Jun Kyu et al). 2013; 77:745–51
Lee KT. (*see* Lee Jun Kyu et al). 2013; 77:745–51
Lee T. (*see* Rostom et al). 2013; 77:255–61
Lee TH. (*see* Bok et al). 2013; 77:899–908
Lee TH, Lee JS, Jin SY. Gastritis cystica profunda with a long stalk., 2013;77:821–2 (At the focal point)
Lee WC. (*see* Bok et al). 2013; 77:899–908
Leeuwenburgh I. (*see* Didden et al). 2013; 77: 664–8 (Case study)
Legaz Huidobro ML. (*see* Roldán et al). 2013; 77: 967–71 (Case study)
Lehman GA. (*see* Cha et al). 2013; (*see* Wagh et al). 2013; 77:209–16; 77:55–61
Leighton JA. (*see* Dzeletovic et al). 2013; 77:883–7
Lennon AM. (*see* Khashab et al). 2013; 77:119–22 (New methods: experimental endoscopy)
Leung FW. (*see* Luo et al). 2013; (*see* Yen et al). 2013; 77:767–73; 77:944–8 (New methods: clinical endoscopy)
Leung JW. (*see* Yen et al). 2013; 77:944–8 (New methods: clinical endoscopy)
Leung WD. (*see* Cha et al). 2013; 77:209–16
Levenick JM. (*see* Dulai et al). 2013; 77:534–41
Levin B. (*see* Lynch et al). 2013; 77:455–63
Levy MJ. (*see* Azeem et al). 2013; (*see* Fujii et al). 2013; (*see* Khashab and Levy). 2013; 77:568–77; 77:670–1 (Letter to the editor); 77:824–8 (Case study)
Lewis BS. (*see* Gralnek et al). 2013; 77:472–9
Lewis C. (*see* Rego et al). 2013; 77:157–9 (Letter to the editor)
Li C-H. (*see* Chen et al). 2013; 77:79–89
Li J-j, Shan H-b, Xu G-l, He L-j, Xia J-c. Submucosal

saline solution injection combined with endosonography for distinguishing between stages T1a and T1b of early esophageal cancer., 2013;77:159–60 (Letter to the editor)
Li R. (*see* Berzosa et al). 2013; 77:200–8
Li W. (*see* Sun et al). 2013; 77:774–83
Li Z-S. (*see* Liao et al). 2013; 77:39–46
Liang L-J. (*see* Wang et al). 2013; 77:71–8
Liao Z, Hu L-H, Xin L, Li Z-S. ERCP service in China: results from a national survey., 2013;77:39–46
Liaquat H, Rohn E, Rex DK. Prophylactic clip closure reduced the risk of delayed postpolypectomy hemorrhage: experience in 277 clipped large sessile or flat colorectal lesions and 247 control lesions., 2013;77:401–7
Lieberman DA. (*see* Enestvedt et al). 2013; 77:464–71
Lightdale CJ. William S. Haubrich, MD., 2013;77:844–5 (In memoriam)
Lim LY. (*see* El Hajj et al). 2013; 77:820–1 (At the focal point)
Limketkai BN, Lam-Himlin D, Arnold MA, Arnold CA. The cutting edge of serrated polyps: a practical guide to approaching and managing serrated colon polyps., 2013;77:360–75 (Review article)
Liu D. (*see* Mei et al). 2013; 77:578–89
Liu J-C. (*see* Gu and Liu). 2013; 77:672–3 (Letter to the editor)
Liu JJ. (*see* Turcotte et al). 2013; 77:624–30
Liu SYW. (*see* Chiu et al). 2013; 77:29–38
Liu X. (*see* Luo et al). 2013; 77:767–73
Liu Z. (*see* Luo et al). 2013; 77:767–73
Llach J. (*see* Córdova et al). 2013; 77:102–7
Loeve US, Mortensen MB. Lethal necrosis and perforation of the stomach and the aorta after multiple EUS-guided celiac plexus neurolysis procedures in a patient with chronic pancreatitis., 2013;77:151–2 (Brief report)
Lopes LR. (*see* Nagasako et al). 2013; 77:955–6 (At the focal point)
Lopez R. (*see* Sanaka et al). 2013; 77:62–70
López-Cerón M. (*see* Hazewinkel et al). 2013; 77:916–24
Lopez-Ceron M, van den Broek FJC, Mathus-Vliegen EM, Boparai KS, van Eeden S, Fockens P, Dekker E. The role of high-resolution endoscopy and narrow-band imaging in the evaluation of upper GI neoplasia in familial adenomatous polyposis., 2013;77:542–50
Loren DE. (*see* Siddiqui et al). 2013; 77:669–70 (Letter to the editor)
Louis H. Endoscopic full-thickness plication for the treatment of GERD: is there a future?, 2013;77:15–7 (Editorial)
Lu R. (*see* Gao et al). 2013; 77:752–8
Luo H, Zhang L, Liu X, Leung FW, Liu Z, Wang X, Xue L, Wu K, Fan D, Pan Y, Guo X. Water exchange enhanced cecal intubation in potentially difficult colonoscopy. Unsedated patients with prior abdominal or pelvic surgery: a prospective, randomized, controlled trial., 2013;77:767–73
Lüth S. (*see* von Renteln et al). 2013; 77:784–92
Lüth T. (*see* Meining et al). 2013; 77:654–7 (New methods: experimental endoscopy)
Luz LP. (*see* El Hajj et al). 2013; 77:820–1 (At the focal point)
Lv C. (*see* Cai et al). 2013; 77:658–9 (At the focal point)
Lybik MJ. (*see* Sipe et al). 2013; 77:932–6
Lynch PM, Morris JS, Ross WA, Rodriguez-Bigas MA, Posadas J, Khalaf R, Weber DM, Sepeda VO, Levin B, Shureiqi I. Global quantitative assessment of the colorectal polyp burden in familial adenomatous polyposis by using a Web-based tool., 2013;77:455–63

M

Mabe K. (*see* Shimizu et al). 2013; 77:972–3 (Letter to the editor)
MacKenzie TA. (*see* Dulai et al). 2013; 77:534–41
Mah SJ. (*see* Turcotte et al). 2013; 77:624–30
Mairiang P. (*see* Sangchan and Mairiang). 2013; 77:156–7 (Letter to the editor)
Maldonado F. (*see* Bick et al). 2013; 77:181–9
Malesci A. (*see* Repici et al). 2013; 77:96–101
Mallery S. (*see* Berzosa et al). 2013; 77:200–8
Mamula P. (*see* Hsu et al). 2013; 77:960–6 (Case study)
Manner H. (*see* Messer et al). 2013; 77:241–9
Mariani A, Giussani A, Di Leo M, Testoni SGG, Testoni PA. Response to: Difficult cannulation is the most important factor for post-ERCP pancreatitis: what is the mechanism?, 2013;77:314–5 (Letter to the editor)
Marín-Gabriel JC. (*see* Jover et al). 2013; 77:381–9
Markowitz JE. (*see* Hsu et al). 2013; 77:960–6 (Case study)
Marques J. (*see* Noronha Ferreira et al). 2013; 77:497–8 (At the focal point)
Marshall C. (*see* Singh et al). 2013; 77:761–6
Martel M. (*see* Barkun et al). 2013; 77:692–700 (Review article)
Martín EB. (*see* Roldán et al). 2013; 77:967–71 (Case study)
Martínez-Pallí G. (*see* Córdova et al). 2013; 77:102–7
Masaki T. (*see* Kobara et al). 2013; 77:141–5 (Case study)
Mathur SC. (*see* Giacchino et al). 2013; 77:711–8
Mathus-Vliegen EM. (*see* Lopez-Ceron et al). 2013; 77:542–50
Mathus-Vliegen EMH. (*see* de Wijkerslooth et al). 2013; 77:617–23
Matsuda T. (*see* Uraoka et al). 2013; 77:480–3
Matsue K. (*see* Nakaji et al). 2013; 77:958–9 (At the focal point)
Matsukawa Y. (*see* Kato et al). 2013; 77:674–5 (Letter to the editor)
Matsumoto K, Kato H, Tomoda T, Sakakihara I, Yamamoto N, Noma Y, Sonoyama T, Tsutsumi K, Okada H, Yamamoto K, Kawamoto H. A case of acute afferent loop syndrome treated by transgastric drainage with EUS., 2013;77:132–3 (At the focal point)
Matsumoto T. (*see* Uraoka et al). 2013; 77:480–3
Matsumura Y. (*see* Sai et al). 2013; 77:726–35
May A. (*see* Messer et al). 2013; 77:241–9
Mayo L. (*see* Menees et al). 2013; 77:641–5 (Perspectives)
McAlindon ME. (*see* Kurien et al). 2013; 77:227–32
McGrath K. (*see* Saligram et al). 2013; 77:872–6
McHenry L. (*see* Cha et al). 2013; (*see* Wagh et al). 2013; (*see* Wani et al). 2013; 77:209–16; 77:55–61; 77:558–65
Mcleod D. (*see* Metz et al). 2013; 77:484–90
Mears R. (*see* Kahi et al). 2013; 77:925–31
Mei M, Ni J, Liu D, Jin P, Sun L. EUS elastography for diagnosis of solid pancreatic masses: a meta-analysis., 2013;77:578–89
Meining A, Schneider A, Roppenecker D, Lüth T. A new instrument for endoscopic submucosal dissection (with videos)., 2013;77:654–7 (New methods: experimental endoscopy)
Mekeel KL. (*see* Hsieh et al). 2013; 77:47–54
Menees SB, Vargo JJ, Bonta C, Mayo L, Jacobson BC. Drug shortages in America: what about the gastroenterologist?, 2013;77:641–5 (Perspectives)
Meng J. (*see* Sun et al). 2013; 77:774–83
Mesquita MA. (*see* Nagasako et al). 2013; 77:955–6 (At the focal point)
Messer I, May A, Manner H, Ell C. Prospective, randomized, single-center trial comparing double-balloon enteroscopy and spiral enteroscopy in patients with suspected small-bowel disorders., 2013;77:241–9
Metz AJ, Moss A, Mcleod D, Tran K, Godfrey C, Chandra A, Bourke MJ. A blinded comparison of the safety and efficacy of hot biopsy forceps electrocauterization and conventional snare polypectomy for diminutive colonic polypectomy in a porcine model., 2013;77:484–90
Mian S. (*see* Tierney et al). 2013; 77:136–40 (Case study)
Milla P. (*see* Fritscher-Ravens et al). 2013; 77:262–71
Minami H. (*see* Shiwaku et al). 2013; 77:149–50 (Brief report)
Mino-Kenudson M. (*see* Daglilar et al). 2013; 77:815–9 (New methods: experimental endoscopy)
Mintchev MP. (*see* Filip et al). 2013; 77:272–9
Miranda D. (*see* Berzosa et al). 2013; 77:200–8
Miyabayashi K. (*see* Yamamoto et al). 2013; 77:809–14 (New methods: clinical endoscopy)
Miyagi Y. (*see* Ootani et al). 2013; 77:514–5 (Letter to the editor)
Miyazaki M. (*see* Nishikawa et al). 2013; 77:219–26
Mizuno S. (*see* Yamamoto et al). 2013; 77:809–14 (New methods: clinical endoscopy)
Modi R. (*see* Wang et al). 2013; 77:71–8
Molina-Infante J, Ferrando-Lamana L, Vinagre-Rodriguez G. Esophageal hyperkeratosis after proton pump inhibitor therapy in a patient with esophageal eosinophilia., 2013;77:131–2 (At the focal point)
Moloney B. (*see* Giacchino et al). 2013; 77:711–8
Mönkemüller K. (*see* Neumann et al). 2013; 77:975–6 (Letter to the editor)
Mönkemüller K, Wilcox C Mel. Positive domino effect, choice of conscious sedation, and endoscopic unit efficiency., 2013;77:888–90 (Editorial)
Montes CG. (*see* Nagasako et al). 2013; 77:955–6 (At the focal point)
Moon JS. (*see* Cha et al). 2013; 77:956–8 (At the focal point)
Moosavi S. (*see* Barkun et al). 2013; 77:692–700 (Review article)
Moreels TG. The endoscopic cap and upper GI bleeding., 2013;77:155 (Letter to the editor)
Morgan DR. (*see* Shah et al). 2013; 77:593–600
Mori H. (*see* Kobara et al). 2013; 77:141–5 (Case study)
Morillas JD. (*see* Jover et al). 2013; 77:381–9
Morino M. (*see* Arezzo et al). 2013; 77:974–5 (Letter to the editor)
Moriyama M. (*see* Kato et al). 2013; 77:674–5 (Letter to the editor)
Moriyama T. (*see* Uraoka et al). 2013; 77:480–3
Moriyasu F. (*see* Itoi et al). 2013; 77:793–800
Morris JS. (*see* Lynch et al). 2013; 77:455–63
Mortensen MB. (*see* Loeve and Mortensen). 2013; 77:151–2 (Brief report)
Moss A. (*see* Bassan et al). 2013; (*see* Metz et al). 2013; 77:484–90; 77:90–5
Muench G. (*see* Filip et al). 2013; 77:272–9
Mukhtar A. (*see* Wagh et al). 2013; 77:55–61
Mullady D. (*see* Wani et al). 2013; 77:558–65
Mulligan DC. (*see* Hsieh et al). 2013; 77:47–54

Murad F. (*see* Wani et al). 2013; 77:558–65
Murthy SK, Kiesslich R. Evolving endoscopic strategies for detection and treatment of neoplastic lesions in inflammatory bowel disease., 2013;77:351–9 (Review article)

N

Nagasako CK, Montes CG, Lopes LR, da Silveira Bossi M, Mesquita MA. Endoscopic removal of a bullet after mediastinum gunshot injury., 2013;77:955–6 (At the focal point)
Nakai Y. (*see* Hamada et al). 2013; (*see* Iwashita et al). 2013; (*see* Yamamoto et al). 2013; 77:670 (Letter to the editor); 77:809–14 (New methods: clinical endoscopy); 77:909–15
Nakaji S, Hirata N, Yoshimura S, Shiratori T, Kobayashi M, Ishii E, Matsue K. A case of primary pancreatic Burkitt's lymphoma diagnosed by EUS-guided FNA., 2013;77:958–9 (At the focal point)
Nakajima T. (*see* Hazewinkel et al). 2013; 77:916–24
Nakakita-Ozaki Y. (*see* Ootani et al). 2013; 77:514–5 (Letter to the editor)
Nakashima R. (*see* Shiwaku et al). 2013; 77:149–50 (Brief report)
Navaneethan U. (*see* Parasa et al). 2013; (*see* Sanaka et al). 2013; 77:609–16; 77:62–70
Navarro-Ripoll R. (*see* Córdova et al). 2013; 77:102–7
Neuhaus H. (*see* Khashab et al). 2013; 77:646–8 (Thinking outside the box)
Neumann DA II, Cappell MS, Batke M, Amin M. Yikes. . .spikes! Exposed tracheal cartilaginous spikes at EGD from malignant tracheoesophageal fistula., 2013;77:293–4 (At the focal point)
Neumann H, Wildner D, Tontini GE, Grauer M, Neurath MF, Mönkemüller K. Response to: The way to remove an over-the-scope-clip (with video)., 2013;77:975–6 (Letter to the editor)
Neurath MF. (*see* Neumann et al). 2013; 77:975–6 (Letter to the editor)
Ng EKW. (*see* Chiu et al). 2013; (*see* Teoh et al). 2013; 77:29–38; 77:498–500 (At the focal point); 77:500–1 (At the focal point)
Nguyen CC. (*see* Hsieh et al). 2013; 77:47–54
Nguyen M. (*see* Wang et al). 2013; 77:71–8
Ni J. (*see* Mei et al). 2013; 77:578–89
Nichols FC. (*see* Bick et al). 2013; 77:181–9
Nishikawa H. (*see* Inuzuka et al). 2013; 77:659–61 (At the focal point)
Nishikawa T, Tsuyuguchi T, Sakai Y, Sugiyama H, Miyazaki M, Yokosuka O. Comparison of the diagnostic accuracy of peroral video-cholangioscopic visual findings and cholangioscopy-guided forceps biopsy findings for indeterminate biliary lesions: a prospective study., 2013;77:219–26
Nishiyama N. (*see* Kobara et al). 2013; 77:141–5 (Case study)
Nobukawa B. (*see* Sai et al). 2013; 77:726–35
Noma Y. (*see* Matsumoto et al). 2013; 77:132–3 (At the focal point)
Norman E. (*see* Weinstock et al). 2013; 77:954–5 (At the focal point)
Noronha Ferreira C, Ribeiro LC, Velosa J, Ferreira J, Ferreira C, Freire JP, Marques J, Ruivo A, Bicha Castelo H. Total gastrectomy in an elderly patient complicated by esophageal fistula: rescue by the over-the-scope clip., 2013;77:497–8 (At the focal point)
Numata N. (*see* Higashimaya et al). 2013; 77:298–302 (Case study)
Nundy S. (*see* Arora et al). 2013; 77:152–4 (Brief report)
Nuñez-Rodriguez H. (*see* de la Serna-Higuera et al). 2013; 77:303–8 (Case study)

O

Obstein KL, Battaglia S, Smith BF, Gerding JS, Valdastri P. Novel approach for colonic insufflation via an untethered capsule (with video)., 2013;77:516–7 (Letter to the editor)
Oh H-C, Brugge WR. EUS-guided pancreatic cyst ablation: a critical review (with video)., 2013;77:526–33 (Technical review)
Oh MK. (*see* Cha et al). 2013; 77:956–8 (At the focal point)
Ohning G. (*see* Wang et al). 2013; 77:71–8
Oka S. (*see* Higashimaya et al). 2013; (*see* Kuwabara et al). 2013; (*see* Uraoka et al). 2013; 77:298–302 (Case study); 77:480–3; 77:973–4 (Letter to the editor)
Okabe Y. (*see* Inuzuka et al). 2013; 77:659–61 (At the focal point)
Okada H. (*see* Matsumoto et al). 2013; 77:132–3 (At the focal point)
Okoli C. (*see* Singh et al). 2013; 77:761–6
Okolo PI 3rd. (*see* Khashab et al). 2013; 77:119–22 (New methods: experimental endoscopy)
Olden K. (*see* Parasa et al). 2013; 77:609–16
Ong S. (*see* Chandran et al). 2013; 77:891–8
Ono A. (*see* Jover et al). 2013; 77:381–9
Ono S. (*see* Shimizu et al). 2013; 77:972–3 (Letter to the editor)
Ootani A, Hayashi Y, Miyagi Y, Tanimoto H, Nakakita-Ozaki Y. A new method for percutaneous endoscopic suturing of persistent gastrocutaneous fistula., 2013;77:514–5 (Letter to the editor)
Orhurhu V. (*see* Azeem et al). 2013; 77:568–77
Orlowska J. Serrated lesions and hyperplastic (serrated) polyposis relationship with colorectal cancer: classification and surveillance recommendations., 2013;77:858–71 (Review article)
Osaki Y. (*see* Inuzuka et al). 2013; 77:659–61 (At the focal point)
Ozaslan E. Difficult cannulation is the most important factor for post-ERCP pancreatitis: what is the mechanism?, 2013;77:313–4 (Letter to the editor)

P

Pagano N. (*see* Repici et al). 2013; 77:96–101
Paggi S. (*see* Rondonotti et al). 2013; 77:661–2 (At the focal point)
Pan Y. (*see* Luo et al). 2013; 77:767–73
Pan Y-m. (*see* Gao et al). 2013; 77:752–8
Parasa S, Navaneethan U, Sridhar ARM, Venkatesh PGK, Olden K. End-stage renal disease is associated with worse outcomes in hospitalized patients with peptic ulcer bleeding., 2013;77:609–16
Park DH. (*see* Iwashita et al). 2013; 77:909–15
Park EJ. (*see* Bok et al). 2013; 77:899–908
Park JY, Lam-Himlin D, Vemulapalli R. Review of autoimmune metaplastic atrophic gastritis., 2013;77:284–92 (Pathology article)
Pascariello A. (*see* Iovino et al). 2013; 77:233–40
Pasha SF. (*see* Dzeletovic et al). 2013; 77:883–7
Pasricha PJ. (*see* Khashab and Pasricha). 2013; (*see* Khashab et al). 2013; 77:119–22 (New methods: experimental endoscopy); 77:146–8 (Editorial); 77:646–8 (Thinking outside the box)
Patel K. (*see* Komeda et al). 2013; 77:395–400
Patel NC. (*see* Alkhatib et al). 2013; 77:133–5 (At the focal point)
Patel NC, Islam RS, Wu Q, Gurudu SR, Ramirez FC, Crowell MD, Faigel DO. Measurement of polypectomy rate by using administrative claims data with validation against the adenoma dectection rate., 2013;77:390–4
Pellegrini L. (*see* Iovino et al). 2013; 77:233–40
Pellisé M. (*see* Hazewinkel et al). 2013; (*see* Jover et al). 2013; 77:381–9; 77:916–24
Perdomo JM. (*see* Córdova et al). 2013; 77:102–7
Perez A. (*see* Thoma et al). 2013; 77:430–5
Pérez-Miranda M. (*see* de la Serna-Higuera et al). 2013; 77:303–8 (Case study)
Peris A. (*see* Jover et al). 2013; 77:381–9
Person SD. (*see* Singh et al). 2013; 77:761–6
Petersen BT. (*see* Azeem et al). 2013; 77:568–77
Philips G. (*see* Black et al). 2013; 77:511–2 (Letter to the editor)
Philpott H. (*see* Chandran et al). 2013; 77:891–8
Piccoli DA. (*see* Hsu et al). 2013; 77:960–6 (Case study)
Pisegna J. (*see* Wang et al). 2013; 77:71–8
Platz E. (*see* Laiyemo et al). 2013; 77:447–54
Pleskow DK. (*see* Tewani et al). 2013; 77:601–8
Pohl H. (*see* Dulai et al). 2013; 77:534–41
Pointner R. (*see* Koch et al). 2013; 77:7–14
Polanía E. (*see* Jover et al). 2013; 77:381–9
Ponce M. (*see* Jover et al). 2013; 77:381–9
Pontifex D. (*see* Rostom et al). 2013; 77:255–61
Posadas J. (*see* Lynch et al). 2013; 77:455–63
Prasad B. Social media, health care, and social networking., 2013;77:492–5 (Perspectives)

Q

Qiu L. (*see* Shao et al). 2013; 77:156 (Letter to the editor)
Quaas A. (*see* von Renteln et al). 2013; 77:784–92
Quintero E. (*see* Jover et al). 2013; 77:381–9

R

Rabih SA. (*see* Roldán et al). 2013; 77:967–71 (Case study)
Radaelli F. (*see* Rondonotti et al). 2013; 77:661–2 (At the focal point)
Rajan E. (*see* Bonin et al). 2013; 77:123–30 (New methods: experimental endoscopy)
Ramesh J. (*see* Bang et al). 2013; 77:739–44
Ramirez FC. (*see* Dzeletovic et al). 2013; (*see* Patel et al). 2013; 77:390–4; 77:883–7
Rana SS. (*see* Rao et al). 2013; 77:512–3 (Letter to the editor)
Rando G. (*see* Repici et al). 2013; (*see* van Halsema et al). 2013; 77:18–28; 77:96–101
Rao C, Rana SS, Lal A, Kumar M, Behera A, Dahiya D, Joshi K, Bhasin DK. Large gastric lipoma presenting with GI bleeding., 2013;77:512–3 (Letter to the editor)
Rao S. (*see* Cao et al). 2013; 77:649–53 (New methods: experimental endoscopy)
Rao S, Tkacz JN, Farraye FA. Portal venous gas after colonoscopy in two patients with Crohn's disease., 2013;77:316–8 (Letter to the editor)
Rastogi A. (*see* Giacchino et al). 2013; (*see* Hazewinkel et al). 2013; 77:711–8; 77:916–24
Ratuapli SK. (*see* van Halsema et al). 2013; 77:18–28
Reavis KM. (*see* Kurian et al). 2013; 77:719–25
Rees C. (*see* Rostom et al). 2013; 77:255–61
Rego R, Dang S, Lewis C. Use of a convex probe-endobronchial US endoscope in EUS of the rectum and FNA., 2013;77:157–9 (Letter to the editor)
Repici A. (*see* van Halsema et al). 2013; 77:18–28
Repici A, Hassan C, Pagano N, Rando G, Romeo F, Spaggiari P, Roncalli M, Ferrara E, Malesci A. High efficacy of endoscopic submucosal dissection for laterally spreading tumors larger than 3 cm., 2013;77:96–101

Reutter D. (*see* von Renteln et al). 2013; 77:784–92
Rex DK. (*see* Kahi et al). 2013; (*see* Liaquat et al). 2013; (*see* Sipe et al). 2013; 77:335–50 (Review article); 77:401–7; 77:932–6
Rex DK. Colonoscopic splenic injury warrants more attention., 2013;77:941–3 (Thinking outside the box)
Ribeiro LC. (*see* Noronha Ferreira et al). 2013; 77:497–8 (At the focal point)
Roche E. (*see* Tutticci et al). 2013; 77:831 (Letter to the editor)
Rodríguez de Miguel C. (*see* Córdova et al). 2013; 77:102–7
Rodriguez-Bigas MA. (*see* Lynch et al). 2013; 77: 455–63
Rodríguez-D'Jesús A. (*see* Córdova et al). 2013; 77:102–7
Rodríguez-Soler M. (*see* Jover et al). 2013; 77: 381–9
Rogers TL. (*see* Kurien et al). 2013; 77:227–32
Rohn E. (*see* Liaquat et al). 2013; 77:401–7
Roldán FP, Carro PG, Villafáñez García MC, Rabih SA, Legaz Huidobro ML, Martín EB, Hernández RV, Romero ET, Carillo FR. Endoscopic treatment of postsurgical colorectal anastomotic leak (with videos)., 2013;77:967–71 (Case study)
Romeo F. (*see* Repici et al). 2013; 77:96–101
Romero ET. (*see* Roldán et al). 2013; 77:967–71 (Case study)
Ron-Tal Fisher O. (*see* Gralnek et al). 2013; 77: 410–8
Roncalli M. (*see* Repici et al). 2013; 77:96–101
Rondonotti E, Amato A, Paggi S, Radaelli F, Ballarati C, Spinzi G. An unusual double-balloon enteroscopy finding: duodenal perforation by an inferior vena cava filter., 2013;77:661–2 (At the focal point)
Roppenecker D. (*see* Meining et al). 2013; 77: 654–7 (New methods: experimental endoscopy)
Rösch T. (*see* von Renteln et al). 2013; 77:784–92
Rosen CB. (*see* Azeem et al). 2013; 77:568–77
Ross A. (*see* Shah et al). 2013; 77:593–600
Ross ED. (*see* Rostom et al). 2013; 77:255–61
Ross WA. (*see* Lynch et al). 2013; 77:455–63
Rostom A, Ross ED, Dubé C, Rutter MD, Lee T, Valori R, Bridges RJ, Pontifex D, Webbink V, Rees C, Brown C, Whetter DH, Kelsey SG, Hilsden RJ. Development and validation of a nurse-assessed patient comfort score for colonoscopy., 2013;77:255–61
Rothstein RI. (*see* Dulai et al). 2013; 77:534–41
Roy A. (*see* Siddiqui et al). 2013; 77:669–70 (Letter to the editor)
Ruivo A. (*see* Noronha Ferreira et al). 2013; 77: 497–8 (At the focal point)
Ruiz-Zorrilla R. (*see* de la Serna-Higuera et al). 2013; 77:303–8 (Case study)
Russo I. (*see* Iovino et al). 2013; 77:233–40
Rutter MD. (*see* Rostom et al). 2013; 77:255–61
Ryozawa S. (*see* Itoi et al). 2013; 77:793–800
Ryu SH. (*see* Cha et al). 2013; 77:956–8 (At the focal point)

S

Sachdeva M. (*see* Arora et al). 2013; 77:152–4 (Brief report)
Sai JK, Nobukawa B, Matsumura Y, Watanabe S. Pancreatic duct lavage cytology with the cell block method for discriminating benign and malignant branch-duct type intraductal papillary mucinous neoplasms., 2013;77:726–35
Saito Y. (*see* Uraoka et al). 2013; 77:480–3
Sakai Y. (*see* Nishikawa et al). 2013; 77:219–26
Sakakihara I. (*see* Matsumoto et al). 2013; 77:132–3 (At the focal point)
Sakamoto N. (*see* Shimizu et al). 2013; 77:972–3 (Letter to the editor)
Salas D. (*see* Jover et al). 2013; 77:381–9
Saligram S, Chennat J, Hu H, Davison JM, Fasanella KE, McGrath K. Endotherapy for superficial adenocarcinoma of the esophagus: an American experience., 2013;77:872–6
Salkic NN, Alibegovic E, Jovanovic P. Endoscopic appearance of duodenal mucosa in Whipple's disease., 2013;77:822–3 (At the focal point)
Saltzman JR. (*see* Hyett et al). 2013; (*see* Turcotte et al). 2013; 77:551–7; 77:624–30
Samarasena JB. (*see* Iwashita et al). 2013; 77: 909–15
San José Estépar R. (*see* Córdova et al). 2013; 77:102–7
Sanaka MR, Navaneethan U, Upchurch BR, Lopez R, Vannoy S, Dodig M, Santisi JM, Vargo JJ. Diagnostic and therapeutic yield is not influenced by the timing of small-bowel enteroscopy: morning *versus* afternoon., 2013;77:62–70
Sanchez-Yague A, Kaltenbach T, Soetikno R. Response to: The endoscopic cap and upper GI bleeding., 2013;77:155 (Letter to the editor)
Sancho-del Val L. (*see* de la Serna-Higuera et al). 2013; 77:303–8 (Case study)
Sanders DS. (*see* Kurien et al). 2013; 77:227–32
Sangchan A, Mairiang P. Response to: Is a self-expandable metal stent better than a plastic stent in unresectable complex hilar cholangiocarcinoma with regard to the adequacy of drainage and survival of the patients?, 2013;77:156–7 (Letter to the editor)
Sanomura Y. (*see* Higashimaya et al). 2013; 77: 298–302 (Case study)
Santisi JM. (*see* Sanaka et al). 2013; 77:62–70
Santo E. (*see* Gralnek et al). 2013; 77:472–9
Sarah M. (*see* Komeda et al). 2013; 77:395–400
Sasahira N. (*see* Yamamoto et al). 2013; 77:809–14 (New methods: clinical endoscopy)
Sasaki T. (*see* Yamamoto et al). 2013; 77:809–14 (New methods: clinical endoscopy)
Sato H. (*see* Kato et al). 2013; 77:674–5 (Letter to the editor)
Saunders BP. (*see* Komeda et al). 2013; 77:395–400
Savarino E, Zentilin P, Galeazzi F, Savarino V. Symptom association analysis is important in GERD patients undergoing endoscopic therapy., 2013;77:832 (Letter to the editor)
Savarino V. (*see* Savarino et al). 2013; 77:832 (Letter to the editor)
Sawhney MS. (*see* Tewani et al). 2013; 77:601–8
Saxena A. (*see* Anastassiades and Saxena). 2013; 77:637–40 (The fellows' corner)
Saxena P. (*see* Khashab et al). 2013; 77:119–22 (New methods: experimental endoscopy); 77: 646–8 (Thinking outside the box)
Schachschal G. (*see* von Renteln et al). 2013; 77: 784–92
Scheidler MD. (*see* Sipe et al). 2013; 77:932–6
Schembre D. Comparison of EUS needles for pancreatic masses leaves many unanswered questions., 2013;77:829 (Letter to the editor)
Schmidt SE. (*see* Wagh et al). 2013; 77:55–61
Schneider A. (*see* Meining et al). 2013; 77:654–7 (New methods: experimental endoscopy)
Schoen RE. (*see* Laiyemo et al). 2013; 77:447–54
Schubert I. (*see* Stock et al). 2013; 77:419–29
Sedarat A, Kochman ML. Competency in EUS: is it the curriculum, test, trainer, or trainee., 2013;77: 566–7 (Editorial)
Segev M. (*see* Gralnek et al). 2013; 77:472–9
Segol O. (*see* Gralnek et al). 2013; 77:472–9
Seoane A. (*see* Jover et al). 2013; 77:381–9
Sepeda VO. (*see* Lynch et al). 2013; 77:455–63
Sethi A. (*see* Shah et al). 2013; 77:593–600
Shah AS. (*see* Kahi et al). 2013; 77:925–31
Shah JN. (*see* Binmoeller et al). 2013; 77:803–8 (New methods: clinical endoscopy)
Shah PM. (*see* van Halsema et al). 2013; 77:18–28
Shah RJ, Smolkin M, Yen R, Ross A, Kozarek RA, Howell DA, Bakis G, Jonnalagadda SS, Al-Lehibi AA, Hardy A, Morgan DR, Sethi A, Stevens PD, Akerman PA, Thakkar SJ, Brauer BC. A multicenter, U.S. experience of single-balloon, double-balloon, and rotational overtube-assisted enteroscopy ERCP in patients with surgically altered pancreaticobiliary anatomy (with video)., 2013;77:593–600
Shan H-b. (*see* Li et al). 2013; 77:159–60 (Letter to the editor)
Shao F, Wang C, Qiu L, Huang Q, Hu Y. Is a self-expandable metal stent better than a plastic stent in unresectable complex hilar cholangiocarcinoma with regard to the adequacy of drainage and survival of the patients?, 2013;77:156 (Letter to the editor)
Sharaiha RZ. (*see* Khashab et al). 2013; 77:119–22 (New methods: experimental endoscopy)
Sharata A. (*see* Kurian et al). 2013; 77:719–25
Share EJ. (*see* Share et al). 2013; 77:308–12 (Case study)
Share MD, Avila A, Dry SM, Share EJ. Aurora rings: a novel endoscopic finding to distinguish inverted colonic diverticula from colon polyps., 2013;77:308–12 (Case study)
Sharma P. (*see* Giacchino et al). 2013; 77:711–8
Shatara TJ. (*see* Sipe et al). 2013; 77:932–6
Shelton E. (*see* Chandran et al). 2013; 77:891–8
Sherman S. (*see* Cha et al). 2013; (*see* Wagh et al). 2013; 77:209–16; 77:55–61
Shi Z-m. (*see* Gao et al). 2013; 77:752–8
Shih Y-L. (*see* Chen et al). 2013; 77:79–89
Shimamoto F. (*see* Kuwabara et al). 2013; 77: 973–4 (Letter to the editor)
Shimizu Y, Takahashi M, Yoshida T, Ono S, Mabe K, Kato M, Asaka M, Sakamoto N. What is an adequate management strategy for pharyngeal low-grade dysplasia?, 2013;77:972–3 (Letter to the editor)
Shin EJ. (*see* Khashab et al). 2013; 77:119–22 (New methods: experimental endoscopy)
Shin JU. (*see* Lee Jun Kyu et al). 2013; 77:745–51
Shiratori T. (*see* Nakaji et al). 2013; 77:958–9 (At the focal point)
Shiroshita T. (*see* Shiwaku et al). 2013; 77:149–50 (Brief report)
Shiwaku H, Inoue H, Beppu R, Nakashima R, Minami H, Shiroshita T, Yamauchi Y, Hoshino S, Yamashita Y. Successful treatment of diffuse esophageal spasm by peroral endoscopic myotomy., 2013;77:149–50 (Brief report)
Shureiqi I. (*see* Lynch et al). 2013; 77:455–63
Siangphoe U. (*see* Chukmaitov et al). 2013; 77: 436–46
Siddiqui AA, Kowalski TE, Kedika R, Roy A, Loren DE, Ellsworth E, Adler D, Finkelstein SD. EUS-guided pancreatic fluid aspiration for DNA analysis of *KRAS* and GNAS mutations for the evaluation of pancreatic cystic neoplasia: a pilot study., 2013;77:669–70 (Letter to the editor)
Sidhu R. (*see* Kurien et al). 2013; 77:227–32
Sieg A. (*see* Stock et al). 2013; 77:419–29
Siersema PD. (*see* Gralnek et al). 2013; (*see* van Halsema et al). 2013; 77:18–28; 77:472–9
Singh A, Marshall C, Chaudhuri B, Okoli C, Foley

A, Person SD, Bhattacharya K, Cave DR. Timing of video capsule endoscopy relative to overt obscure GI bleeding: implications from a retrospective study., 2013;77:761–6
Singh M. (*see* Giacchino et al). 2013; 77:711–8
Singh V. (*see* Giacchino et al). 2013; 77:711–8
Singh VK. (*see* Khashab et al). 2013; 77:119–22 (New methods: experimental endoscopy)
Singhvi G, Dea SK. Guidewires in ERCP., 2013;77: 938–40 (The fellows' corner)
Sipe BW, Fischer M, Baluyut AR, Bishop RH, Born LJ, Daugherty DF, Lybik MJ, Shatara TJ, Scheidler MD, Wilson SA, Rex DK. A low-residue diet improved patient satisfaction with split-dose oral sulfate solution without impairing colonic preparation., 2013;77:932–6
Siraz F. (*see* Arora et al). 2013; 77:152–4 (Brief report)
Slaughter JC. (*see* Cassani et al). 2013; 77:877–82
Sloyer A. (*see* Gralnek et al). 2013; 77:472–9
Smith BF. (*see* Obstein et al). 2013; 77:516–7 (Letter to the editor)
Smolkin M. (*see* Shah et al). 2013; 77:593–600
Smoot DT. (*see* Laiyemo et al). 2013; 77:447–54
Soetikno R. (*see* Sanchez-Yague et al). 2013; 77: 155 (Letter to the editor)
Sofuni A. (*see* Itoi et al). 2013; 77:793–800
Soma M. (*see* Kato et al). 2013; 77:674–5 (Letter to the editor)
Sonoyama T. (*see* Matsumoto et al). 2013; 77:132–3 (At the focal point)
Sonson R. (*see* Bassan et al). 2013; (*see* Holt et al). 2013; 77:90–5; 77:949–53 (New methods: clinical endoscopy)
Sood S. (*see* Chandran et al). 2013; 77:891–8
Sopeña F. (*see* Jover et al). 2013; 77:381–9
Soulellis CA, Carpentier S, Chen Y-I, Fallone CA, Barkun AN. Lower GI hemorrhage controlled with endoscopically applied TC-325 (with videos)., 2013;77:504–7 (Case study)
Spaander MCW. (*see* Didden et al). 2013; 77:664–8 (Case study)
Spaggiari P. (*see* Repici et al). 2013; 77:96–101
Spaun G. (*see* Koch et al). 2013; 77:7–14
Spechler S. (*see* Cao et al). 2013; 77:649–53 (New methods: experimental endoscopy)
Spiegel BMR. (*see* Wang et al). 2013; 77:71–8
Spinzi G. (*see* Rondonotti et al). 2013; 77:661–2 (At the focal point)
Sridhar ARM. (*see* Parasa et al). 2013; 77:609–16
Stavropoulos SN. (*see* Khashab et al). 2013; 77: 119–22 (New methods: experimental endoscopy)
Stevens PD. (*see* Shah et al). 2013; 77:593–600
Stock C, Ihle P, Sieg A, Schubert I, Hoffmeister M, Brenner H. Adverse events requiring hospitalization within 30 days after outpatient screening and nonscreening colonoscopies., 2013;77: 419–29
Stoop EM. (*see* de Wijkerslooth et al). 2013; 77: 617–23
Sugitani M. (*see* Kato et al). 2013; 77:674–5 (Letter to the editor)
Sugiyama H. (*see* Nishikawa et al). 2013; 77: 219–26
Suissa A. (*see* Gralnek et al). 2013; 77:472–9
Sumner E. (*see* Cassani et al). 2013; 77:877–82
Sun G, Yang Y, Zhang X, Li W, Wang Y, Zhang L, Tang P, Kong J, Zhang R, Meng J, Wang X. Comparison of gastrotomy closure modalities for natural orifice transluminal surgery: a canine study., 2013;77:774–83
Sun L. (*see* Mei et al). 2013; 77:578–89
Sung JJY. (*see* Chiu et al). 2013; 77:29–38
Suzuki N. (*see* Komeda et al). 2013; 77:395–400
Suzuki R, Bhutani MS. Vanishing rectal subepithelial mass., 2013;77:663 (At the focal point)
Swanstrom LL. (*see* Koch et al). 2013; 77:7–14
Swanström LL. (*see* Kurian et al). 2013; 77:719–25
Szyrach MN. (*see* von Renteln et al). 2013; 77: 784–92

T

Tabibian JH. (*see* Azeem et al). 2013; 77:568–77
Tada M. (*see* Yamamoto et al). 2013; 77:809–14 (New methods: clinical endoscopy)
Takahara N. (*see* Yamamoto et al). 2013; 77: 809–14 (New methods: clinical endoscopy)
Takahashi M. (*see* Shimizu et al). 2013; 77:972–3 (Letter to the editor)
Takahashi N. (*see* Fujii et al). 2013; 77:824–8 (Case study)
Tan D. (*see* Wagh et al). 2013; 77:55–61
Tanaka R. (*see* Itoi et al). 2013; 77:793–800
Tanaka S. (*see* Higashimaya et al). 2013; (*see* Kuwabara et al). 2013; (*see* Uraoka et al). 2013; 77:298–302 (Case study); 77:480–3; 77:973–4 (Letter to the editor)
Tandon P. (*see* Kao et al). 2013; 77:679–91 (Review article)
Tang E-K. (*see* Chiu et al). 2013; 77:294–6 (At the focal point)
Tang P. (*see* Sun et al). 2013; 77:774–83
Tang S-j. (*see* Cao et al). 2013; 77:649–53 (New methods: experimental endoscopy)
Tanimoto H. (*see* Ootani et al). 2013; 77:514–5 (Letter to the editor)
Teoh AYB. (*see* Chiu et al). 2013; (*see* Teoh et al). 2013; 77:29–38; 77:498–500 (At the focal point)
Teoh AYB, Ng EKW, Hawes R. EUS-guided rendezvous pancreaticogastrostomy in a patient with central pancreatectomy., 2013;77:500–1 (At the focal point)
Teoh JYC, Teoh AYB, Chiu PWY, Ng EKW. Chylothorax as a rare complication after severe necrotizing pancreatitis and endoscopic pancreatic necrosectomy., 2013;77:498–500 (At the focal point)
Testoni PA. (*see* Mariani et al). 2013; 77:314–5 (Letter to the editor)
Testoni SGG. (*see* Mariani et al). 2013; 77:314–5 (Letter to the editor)
Testro A. (*see* Chandran et al). 2013; 77:891–8
Tewani SK, Turner BG, Chuttani R, Pleskow DK, Sawhney MS. Location of bile leak predicts the success of ERCP performed for postoperative bile leaks., 2013;77:601–8
Thakkar SJ. (*see* Shah et al). 2013; 77:593–600
Thawrani A. (*see* Arora et al). 2013; 77:152–4 (Brief report)
Thoma MN, Jimenez Cantisano BG, Hernandez AV, Perez A, Castro F. Comparison of adenoma detection rate in Hispanics and whites undergoing first screening colonoscopy: a retrospective chart review., 2013;77:430–5
Thomas-Gibson S. (*see* Komeda et al). 2013; 77: 395–400
Tibbals HF. (*see* Cao et al). 2013; 77:649–53 (New methods: experimental endoscopy)
Tierney A, Toriz BE, Mian S, Brown KE. Interventions and outcomes of treatment of postbanding ulcer hemorrhage after endoscopic band ligation: a single-center case series., 2013;77:136–40 (Case study)
Tkacz JN. (*see* Rao et al). 2013; 77:316–8 (Letter to the editor)
Tomoda T. (*see* Matsumoto et al). 2013; 77:132–3 (At the focal point)
Tonozuka R. (*see* Itoi et al). 2013; 77:793–800
Tontini GE. (*see* Neumann et al). 2013; 77:975–6 (Letter to the editor)
Topazian MD. (*see* Azeem et al). 2013; (*see* Bick et al). 2013; (*see* Fujii et al). 2013; 77:181–9; 77: 568–77; 77:824–8 (Case study)
Toriz BE. (*see* Tierney et al). 2013; 77:136–40 (Case study)
Tran K. (*see* Metz et al). 2013; 77:484–90
Travis AC. (*see* Hyett et al). 2013; 77:551–7
Trepte C. (*see* von Renteln et al). 2013; 77:784–92
Trevino J. (*see* Bang et al). 2013; 77:739–44
Tsuchiya T. (*see* Itoi et al). 2013; 77:793–800
Tsuji S. (*see* Itoi et al). 2013; 77:793–800
Tsutsumi K. (*see* Matsumoto et al). 2013; 77:132–3 (At the focal point)
Tsuyuguchi T. (*see* Nishikawa et al). 2013; 77: 219–26
Turcotte J-F, Kao D, Mah SJ, Claggett B, Saltzman JR, Fedorak RN, Liu JJ. Breaks in the wall: increasd gaps in the intestinal epithelium of irritable bowel syndrome patients identified by confocal laser endomicroscopy (with videos)., 2013;77: 624–30
Turner BG. (*see* Tewani et al). 2013; 77:601–8
Tutticci N, Cameron D, Croese J, Roche E. Tattoo of more than lymph nodes., 2013;77:831 (Letter to the editor)
Tytgat KMAJ. (*see* de Wijkerslooth et al). 2013; (*see* Hazewinkel et al). 2013; 77:617–23; 77:916–24

U

Uchino R. (*see* Yamamoto et al). 2013; 77:809–14 (New methods: clinical endoscopy)
Umar SB. (*see* Alkhatib et al). 2013; 77:133–5 (At the focal point)
Upchurch BR. (*see* Sanaka et al). 2013; 77:62–70
Urabe Y. (*see* Kuwabara et al). 2013; 77:973–4 (Letter to the editor)
Uraoka T, Tanaka S, Matsumoto T, Matsuda T, Oka S, Moriyama T, Higashi R, Saito Y. A novel extra-wide-angle–view colonoscope: a simulated pilot study using anatomic colorectal models., 2013; 77:480–3
Urquhart P. (*see* Chandran et al). 2013; 77:891–8

V

Valdastri P. (*see* Obstein et al). 2013; 77:516–7 (Letter to the editor)
Valori R. (*see* Rostom et al). 2013; 77:255–61
van den Broek FJC. (*see* Lopez-Ceron et al). 2013; 77:542–50
van Eeden S. (*see* Hazewinkel et al). 2013; (*see* Lopez-Ceron et al). 2013; 77:542–50; 77:916–24
van Halsema EE, Wong Kee Song LM, Baron TH, Siersema PD, Vleggaar FP, Ginsberg GG, Shah PM, Fleischer DE, Ratuapli SK, Fockens P, Dijkgraaf MGW, Rando G, Repici A, van Hooft JE. Safety of endoscopic removal of self-expandable stents after treatment of benign esophageal diseases., 2013;77:18–28
van Hooft JE. (*see* van Halsema et al). 2013; 77: 18–28
van Leerdam ME. (*see* de Wijkerslooth et al). 2013; 77:617–23
van Oijen M. (*see* Wang et al). 2013; 77:71–8
van Tilburg AJP. (*see* Didden et al). 2013; 77:664–8 (Case study)
Vance M. (*see* Komeda et al). 2013; 77:395–400
Vannoy S. (*see* Sanaka et al). 2013; 77:62–70
Varadarajulu S. (*see* Bang et al). 2013; 77:739–44; 77:829–31 (Letter to the editor)
Vargas HE. (*see* Hsieh et al). 2013; 77:47–54
Vargo JJ. (*see* Menees et al). 2013; (*see* Sanaka et al). 2013; 77:62–70; 77:641–5 (Perspectives)

Varma V. (*see* Arora et al). 2013; 77:152–4 (Brief report)
Vaughan R. (*see* Chandran et al). 2013; 77:891–8
Vega-Villaamil P. (*see* Jover et al). 2013; 77:381–9
Velosa J. (*see* Noronha Ferreira et al). 2013; 77: 497–8 (At the focal point)
Vemulapalli R. (*see* Park et al). 2013; 77:284–92 (Pathology article)
Venkatesh PGK. (*see* Parasa et al). 2013; 77:609–16
Villafáñez García MC. (*see* Roldán et al). 2013; 77:967–71 (Case study)
Vinagre-Rodriguez G. (*see* Molina-Infante et al). 2013; 77:131–2 (At the focal point)
Vleggaar FP. (*see* van Halsema et al). 2013; 77: 18–28
von Renteln D, Quaas A, Rösch T, Denzer UW, Szyrach MN, Enderle MD, Lüth S, Haas S, Trepte C, Reutter D, Schachschal G. A novel flexible cryoprobe for EUS-guided pancreatic biopsies., 2013;77:784–92
Vosburgh KG. (*see* Córdova et al). 2013; 77:102–7

W

Wagh MS, Mukhtar A, Tan D, Watkins JL, Fogel EL, McHenry L, Coté GA, Sherman S, Schmidt SE, Lehman GA. Oral administration of edible oil before ERCP: effect on selective biliary cannulation., 2013;77:55–61
Wallace MB. (*see* Coe and Wallace). 2013; (*see* Giacchino et al). 2013; 77:631–5; 77:711–8
Wang C. (*see* Shao et al). 2013; 77:156 (Letter to the editor)
Wang HS, Pisegna J, Modi R, Liang L-J, Atia M, Nguyen M, Cohen H, Ohning G, van Oijen M, Spiegel BMR. Adenoma detection rate is necessary but insufficient for distinguishing high *versus* low endoscopist performance., 2013;77:71–8
Wang S-p. (*see* Gao et al). 2013; 77:752–8
Wang S-z. (*see* Gao et al). 2013; 77:752–8
Wang T-t. (*see* Gao et al). 2013; 77:752–8
Wang X. (*see* Luo et al). 2013; (*see* Sun et al). 2013; (*see* Zhuang et al). 2013; 77:315–6 (Letter to the editor); 77:767–73; 77:774–83
Wang Y. (*see* Sun et al). 2013; 77:774–83
Wani S, Coté GA, Keswani R, Mullady D, Azar R, Murad F, Edmundowicz S, Komanduri S, McHenry L, Al-Haddad MA, Hall M, Hovis CE, Hollander TG, Early D. Learning curves for EUS by using cumulative sum analysis: implications for American Society for Gastrointestinal Endoscopy recommendations for training., 2013;77: 558–65
Wani SB. (*see* Giacchino et al). 2013; 77:711–8
Warren JL. (*see* Chukmaitov et al). 2013; 77: 436–46
Watanabe S. (*see* Sai et al). 2013; 77:726–35
Watkins JL. (*see* Cha et al). 2013; (*see* Wagh et al). 2013; 77:209–16; 77:55–61
Webbink V. (*see* Rostom et al). 2013; 77:255–61
Weber DM. (*see* Lynch et al). 2013; 77:455–63
Wedel T. (*see* Fritscher-Ravens et al). 2013; 77: 262–71
Wee E. ERCP cannulation of the major papilla hooded by a redundant Kerckring's fold: the technique of papillary traction and not hood elevation., 2013;77:515–6 (Letter to the editor)
Weinberg J. (*see* Do et al). 2013; 77:376–80
Weinstock LB, Axelbaum J, Norman E. Duodenal lipomatosis., 2013;77:954–5 (At the focal point)
Whetter DH. (*see* Rostom et al). 2013; 77:255–61
Wilcox C Mel. (*see* Mönkemüller and Wilcox). 2013; 77:888–90 (Editorial)
Wilcox CM, Elson CO. Basil Isaac Hirschowitz, MD., 2013;77:677–8 (In memoriam)
Wildner D. (*see* Neumann et al). 2013; 77:975–6 (Letter to the editor)
Williams SJ. (*see* Bassan et al). 2013; 77:90–5
Wilson SA. (*see* Sipe et al). 2013; 77:932–6
Wong Kee Song LM. (*see* van Halsema et al). 2013; 77:18–28
Wong Key Song LM. (*see* Bick et al). 2013; 77: 181–9
Wong SKH. (*see* Chiu et al). 2013; 77:29–38
Wu J. (*see* Gao et al). 2013; 77:752–8
Wu JCY. (*see* Chiu et al). 2013; 77:29–38
Wu K. (*see* Luo et al). 2013; 77:767–73
Wu Q. (*see* Patel et al). 2013; 77:390–4

X

Xia J-c. (*see* Li et al). 2013; 77:159–60 (Letter to the editor)
Xin L. (*see* Liao et al). 2013; 77:39–46
Xu G-l. (*see* Li et al). 2013; 77:159–60 (Letter to the editor)
Xue L. (*see* Luo et al). 2013; 77:767–73

Y

Yachimski P. (*see* Cassani et al). 2013; 77:877–82
Yadid-Pecht O. (*see* Filip et al). 2013; 77:272–9
Yamamoto H. Is double-balloon enteroscopy superior to spiral enteroscopy?, 2013;77:250–1 (Editorial)
Yamamoto K. (*see* Matsumoto et al). 2013; 77: 132–3 (At the focal point)
Yamamoto N. (*see* Matsumoto et al). 2013; 77: 132–3 (At the focal point)
Yamamoto N, Isayama H, Kawakami H, Sasahira N, Hamada T, Ito Y, Takahara N, Uchino R, Miyabayashi K, Mizuno S, Kogure H, Sasaki T, Nakai Y, Kuwatani M, Hirano K, Tada M, Koike K. Preliminary report on a new, fully covered, metal stent designed for the treatment of pancreatic fluid collections., 2013;77:809–14 (New methods: clinical endoscopy)
Yamashita Y. (*see* Shiwaku et al). 2013; 77:149–50 (Brief report)
Yamauchi Y. (*see* Shiwaku et al). 2013; 77:149–50 (Brief report)
Yang Y. (*see* Sun et al). 2013; 77:774–83
Yen AW, Leung JW, Leung FW. A novel method with significant impact on adenoma detection: combined water-exchange and cap-assisted colonoscopy., 2013;77:944–8 (New methods: clinical endoscopy)
Yen R. (*see* Shah et al). 2013; 77:593–600
Yokosuka O. (*see* Nishikawa et al). 2013; 77: 219–26
Yoon WJ. (*see* Daglilar et al). 2013; 77:815–9 (New methods: experimental endoscopy)
Yoshida S. (*see* Higashimaya et al). 2013; 77:298–302 (Case study)
Yoshida T. (*see* Shimizu et al). 2013; 77:972–3 (Letter to the editor)
Yoshihara M. (*see* Kuwabara et al). 2013; 77:973–4 (Letter to the editor)
Yoshimura S. (*see* Nakaji et al). 2013; 77:958–9 (At the focal point)
Yows CR. (*see* Dzeletovic et al). 2013; 77:883–7
Yung MY. (*see* Chiu et al). 2013; 77:29–38

Z

Zapater P. (*see* Jover et al). 2013; 77:381–9
Zentilin P. (*see* Savarino et al). 2013; 77:832 (Letter to the editor)
Zepeda-Gomez S. (*see* Kao et al). 2013; 77:679–91 (Review article)
Zhang F. (*see* Khashab et al). 2013; 77:646–8 (Thinking outside the box)
Zhang L. (*see* Fujii et al). 2013; (*see* Luo et al). 2013; (*see* Sun et al). 2013; 77:767–73; 77:774–83; 77: 824–8 (Case study)
Zhang R. (*see* Sun et al). 2013; 77:774–83
Zhang S. (*see* Ding et al). 2013; 77:673–4 (Letter to the editor)
Zhang W. (*see* Zhuang et al). 2013; 77:315–6 (Letter to the editor)
Zhang X. (*see* Sun et al). 2013; 77:774–83
Zhang Z. (*see* Cai et al). 2013; (*see* Iwashita et al). 2013; 77:658–9 (At the focal point); 77: 909–15
Zhi F. (*see* Cai et al). 2013; 77:658–9 (At the focal point)
Zhu W. (*see* Cai et al). 2013; 77:658–9 (At the focal point)
Zhuang M, Zhang W, Gu J, Gong W, Wang X. ERCP with retrieval balloon-assisted enterography using traditional duodenoscope in post-GI surgery patients., 2013;77:315–6 (Letter to the editor)
Zou X. (*see* Ding et al). 2013; 77:673–4 (Letter to the editor)

SUBJECT INDEX TO VOLUME 77*
(*January-June 2013*)

A

Ablation techniques
A blinded comparison of the safety and efficacy of hot biopsy forceps electrocauterization and conventional snare polypectomy for diminutive colonic polypectomy in a porcine model (Metz et al). 2013;77:484-90 (Original article: Experimental endoscopy)
Controlled swine bile duct ablation with a bipolar radiofrequency catheter (Daglilar et al). 2013;77:815-9 (New method: Experimental endoscopy)
Endotherapy for superficial adenocarcinoma of the esophagus: an American experience (Saligram et al). 2013;77:872-6 (Original article: Clinical endoscopy)
EUS-guided pancreatic cyst ablation: a critical review (with video) (Oh and Brugge). 2013;77:526-33 (Technical review)
Long-term outcomes of patients with Barrett's esophagus and high-grade dysplasia or early cancer treated with endoluminal therapies with intention to complete eradication (Guarner-Argente et al). 2013;77:190-9 (Original article: Clinical endoscopy)
Radiofrequency ablation for long- and ultralong-segment Barrett's esophagus: a comparative long-term follow-up study (Dulai et al). 2013;77:534-41 (Original article: Clinical endoscopy)

Achalasia
Novel technique of auto-tunneling during peroral endoscopic myotomy (with video) (Khashab et al). 2013;77:119-22 (New method: Experimental endoscopy)
Peroral endoscopic myotomy for treatment of achalasia: from bench to bedside (with video) (Chiu et al). 2013;77:29-38 (Original article: Clinical endoscopy)
Thoughts on starting a peroral endoscopic myotomy program (Khashab). 2013;77:109-10 (The Fellows' Corner)

Adenoma; *see also* Colorectal neoplasms; Polyps
Adenoma detection rate is necessary but insufficient for distinguishing high versus low endoscopist performance (Wang et al). 2013;77:71-8 (Original article: Clinical endoscopy)
Assessment of adenoma detection rate benchmarks in women versus men (Coe and Wallace). 2013;77:631-5 (Original article: Clinical endoscopy)
Comparison of adenoma detection rate in Hispanics and whites undergoing first screening colonoscopy: a retrospective chart review (Thoma et al). 2013;77:430-5 (Original article: Clinical endoscopy)
The cutting edge of serrated polyps: a practical guide to approaching and managing serrated colon polyps (Limketkai et al). 2013;77:360-75 (Review article)
Endoscopic features of sessile serrated adenomas: validation by international experts using high-resolution white-light endoscopy and narrow-band imaging (Hazewinkel et al). 2013;77:916-24 (Original article: Clinical endoscopy)
Global quantitative assessment of the colorectal polyp burden in familial adenomatous polyposis by using a Web-based tool (Lynch et al). 2013;77:455-63 (Original article: Clinical endoscopy)
Measurement of polypectomy rate by using administrative claims data with validation against the adenoma detection rate (Patel et al). 2013;77:390-4 (Original article: Clinical endoscopy)
Modifiable endoscopic factors that influence the adenoma detection rate in colorectal cancer screening colonoscopies (Jover et al). 2013;77:381-9 (Original article: Clinical endoscopy)
A novel method with significant impact on adenoma detection: combined water-exchange and cap-assisted colonoscopy (Yen et al). 2013;77:944-8 (New method: Clinical endoscopy)
Reliability of adenoma detection rate is based on procedural volume (Do et al). 2013;77:376-80 (Original article: Clinical endoscopy)
Serrated lesions and hyperplastic (serrated) polyposis relationship with colorectal cancer: classification and surveillance recommendations (Orlowska). 2013;77:858-71 (Review article)
Short- and long-term risk of colorectal adenoma recurrence among whites and blacks (Laiyemo et al). 2013;77:447-54 (Original article: Clinical endoscopy)

Adverse events
Adverse events associated with EUS and EUS with FNA (ASGE Standards of Practice Committee). 2013;77:839-43 (Guideline)
Adverse events requiring hospitalization within 30 days after outpatient screening and nonscreening colonoscopies (Stock et al). 2013;77:419-29 (Original article: Clinical endoscopy)
Association of polypectomy techniques, endoscopist volume, and facility type with colonoscopy complications (Chukmaitov et al). 2013;77:436-46 (Original article: Clinical endoscopy)
Is the American Society of Anesthesiologists classification useful in risk stratification for endoscopic procedures? (Enestvedt et al). 2013;77:464-71 (Original article: Clinical endoscopy)

Afferent loop syndrome
A case of acute afferent loop syndrome treated by transgastric drainage with EUS (Matsumoto et al). 2013;77:132-3 (At the focal point)

Algorithms
Objective assessment of an algorithmic approach to EUS-guided FNA and interventions (Bang et al). 2013;77:739-44 (Original article: Clinical endoscopy)

American Society of Anesthesiologists (ASA)
Is the American Society of Anesthesiologists classification useful in risk stratification for endoscopic procedures? (Enestvedt et al). 2013;77:464-71 (Original article: Clinical endoscopy)

Anastomosis, surgical
Double-balloon overtube—assisted endoscopic pancreas function test as a tool to rule out chronic pancreatitis in a patient with a previous Frey procedure (Lara and DeMarco) (Letter). 2013;77:671-2
Endoscopic treatment of anastomotic biliary strictures after living donor liver transplantation: outcomes after maximal stent therapy (Hsieh et al). 2013;77:47-54 (Original article: Clinical endoscopy)
Endoscopic treatment of postsurgical colorectal anastomotic leak (with videos) (Roldán et al). 2013;77:967-71 (Case study)
A multicenter, U.S. experience of single-balloon, double-balloon, and rotational overtube–assisted enteroscopy ERCP in patients with surgically altered pancreaticobiliary anatomy (with video) (Shah et al). 2013;77:593-600 (Original article: Clinical endoscopy)
Total gastrectomy in an elderly patient complicated by esophageal fistula: rescue by the over-the-scope clip (Noronha Ferreira et al). 2013;77:497-8 (At the focal point)
Use of a single-balloon enteroscope compared with variable-stiffness colonoscopes for endoscopic retrograde cholangiography in liver transplant patients with Roux-en-Y biliary anastomosis (Azeem et al). 2013;77:568-77 (Original article: Clinical endoscopy)

Anti-inflammatory agents, non-steroidal
Nonsteroidal anti-inflammatory drugs for prevention of post-ERCP pancreatitis: a complementary meta-analysis (Gu and Liu) (Letter); (Ding et al) (Response). 2013;77:672-4

Aorta
Lethal necrosis and perforation of the stomach and the aorta after multiple EUS-guided celiac plexus neurolysis procedures in a patient with chronic pancreatitis (Loeve and Mortensen). 2013;77:151-2 (Brief report)

B

Barrett's esophagus; *see also* Esophageal neoplasms
Clinical utility and interobserver agreement of autofluorescence imaging and magnification narrow-band imaging for the evaluation of Barrett's esophagus: a prospective tandem study (Giacchino et al). 2013;77:711-8 (Original article: Clinical endoscopy)
Directional distribution of neoplasia in Barrett's esophagus is not influenced by distance from the gastroesophageal junction (Cassani et al). 2013;77:877-82 (Original article: Clinical endoscopy)
Long-term outcomes of patients with Barrett's esophagus and high-grade dysplasia or early cancer treated with endoluminal therapies with intention to complete eradication (Guarner-Argente et al). 2013;77:190-9 (Original article: Clinical endoscopy)
Radiofrequency ablation for long- and ultralong-segment Barrett's esophagus: a comparative long-term follow-up study (Dulai et al). 2013;77:534-41 (Original article: Clinical endoscopy)

Bezoars
Pharmacobezoar in a patient on an oral phosphate binder (Black et al) (Letter). 2013;77:511-2

Bile leaks
Cyanoacrylate applications in the GI tract (Cameron and Binmoeller). 2013;77:846-57 (Technical review)
Location of bile leak predicts the success of ERCP performed for postoperative bile leaks (Tewani et al). 2013;77:601-8 (Original article: Clinical endoscopy)

Biliary stricture or obstruction
Endoscopic treatment of anastomotic biliary strictures after living donor liver transplantation: outcomes after maximal stent therapy (Hsieh et al). 2013;77:47-54 (Original article: Clinical endoscopy)
Feasibility of using wire-guided needle-knife electrocautery for refractory biliary and pancreatic strictures (Gao et al). 2013;77:752-8

*January, pp. 1-166; February, pp. 167-318; March, pp. 319-518; April, pp. 519-676; May, pp. 677-834; June, pp. 835-998.

(Original article: Clinical endoscopy)
Is a self-expandable metal stent better than a plastic stent in unresectable complex hilar cholangiocarcinoma with regard to the adequacy of drainage and survival of the patients? (Shao et al) (Letter); (Sangchan and Mairiang) (Response). 2013;77:156-7
Managing the post–liver transplantation anastomotic biliary stricture: multiple plastic versus metal stents: a systematic review (Kao et al). 2013;77:679-91 (Review article)
Needle-knife electrocautery: "Give me a lever and I will move the world" (Costamagna and Boškoski). 2013;77:759-60 (Editorial)
Transpapillary versus transmural biliary drainage in patients with an indwelling duodenal stent: when is one indicated over the other? (Hamada et al) (Letter); (Khashab and Levy) (Response). 2013;77:670-1

Biliary tract neoplasms
Comparison of the diagnostic accuracy of peroral video-cholangioscopic visual findings and cholangioscopy-guided forceps biopsy findings for indeterminate biliary lesions: a prospective study (Nishikawa et al). 2013;77:219-26 (Original article: Clinical endoscopy)
Controlled swine bile duct ablation with a bipolar radiofrequency catheter (Daglilar et al). 2013;77:815-9 (New method: Experimental endoscopy)
The role of endoscopy in the evaluation and treatment of patients with biliary neoplasia (ASGE Standards of Practice Committee). 2013;77:167-74 (Guideline)

Biopsy; *see also* Endoscopic ultrasonography-guided fine-needle aspiration (EUS-FNA)
The accuracy of probe-based confocal endomicroscopy versus conventional endoscopic biopsies for the diagnosis of superficial gastric neoplasia (with videos) (Bok et al). 2013;77:899-908 (Original article: Clinical endoscopy)
Bloc biopsy by using submucosal endoscopy with a mucosal flap method for gastric subepithelial tumor tissue sampling (with video) (Kobara et al). 2013;77:141-5 (Case study)
Comparison of EUS needles for pancreatic masses leaves many unanswered questions (Schembre) (Letter); (Bang et al) (Response). 2013;77:829-31
Comparison of the diagnostic accuracy of peroral video-cholangioscopic visual findings and cholangioscopy-guided forceps biopsy findings for indeterminate biliary lesions: a prospective study (Nishikawa et al). 2013;77:219-26 (Original article: Clinical endoscopy)
Conquering the third space: challenges and opportunities for diagnostic and therapeutic endoscopy (Khashab and Pasricha). 2013;77:146-8 (Editorial)
A novel endoscopic prototype device for gastric full-thickness biopsy for the histopathologic diagnosis of GI neuromuscular pathology: in vivo porcine long-term survival study (with videos) (Fritscher-Ravens et al). 2013;77:262-71 (Original article: Experimental endoscopy)
A novel flexible cryoprobe for EUS-guided pancreatic biopsies (von Renteln et al). 2013;77:784-92 (Original article: Experimental endoscopy)
Pediatric pancreatic EUS-guided trucut biopsy for evaluation of autoimmune pancreatitis (Fujii et al). 2013;77:824-8 (Case study)
Retract-ligate-unroof-biopsy: a novel approach to the diagnosis and therapy of large nonpedunculated stromal tumors (with video) (Binmoeller et al). 2013;77:803-8 (New method: Clinical endoscopy)

Bleeding; *see* Hemorrhage

Bowel preparation
A low-residue diet improved patient satisfaction with split-dose oral sulfate solution without impairing colonic preparation (Sipe et al). 2013;77:932-6 (Original article: Clinical endoscopy)

Burkitt lymphoma
A case of primary pancreatic Burkitt's lymphoma diagnosed by EUS-guided FNA (Nakaji et al). 2013;77:958-9 (At the focal point)

C

Cannulation
Difficult cannulation is the most important factor for post-ERCP pancreatitis: what is the mechanism? (Ozaslan) (Letter); (Mariani et al) (Response). 2013;77:313-5
ERCP cannulation of the major papilla hooded by a redundant Kerckring's fold: the technique of papillary traction and not hood elevation (Wee) (Letter). 2013;77:515-6

Caps, endoscopic
The endoscopic cap and upper GI bleeding (Moreels) (Letter); (Sanchez-Yague et al) (Response). 2013;77:155

Capsule endoscopy (CE)
Capsule endoscopy in adult celiac disease: a potential role in equivocal cases of celiac disease? (Kurien et al). 2013;77:227-32 (Original article: Clinical endoscopy)
Novel approach for colonic insufflation via an untethered capsule (with video) (Obstein) (Letter). 2013;77:516-7
Risk stratification of upper GI bleeding with an esophageal capsule (Chandran et al). 2013;77:891-8 (Original article: Clinical endoscopy)
Small-bowel endoscopy core curriculum (ASGE Training Committee). 2013;77:1-6 (Core curriculum)
Suture marker lesion detection in the colon by self-stabilizing and unmodified capsule endoscopes: pilot study in acute canine models (Filip et al). 2013;77:272-9 (Original article: Experimental endoscopy)
Timing of video capsule endoscopy relative to overt obscure GI bleeding: implications from a retrospective study (Singh et al). 2013;77:761-6 (Original article: Clinical endoscopy)

Carbon dioxide
Carbon dioxide insufflation does not reduce pain scores during colonoscope insertion in unsedated patients: a randomized, controlled trial (Chen et al). 2013;77:79-89 (Original article: Clinical endoscopy)
Carbon dioxide insufflation reduces number of postprocedure admissions after endoscopic resection of large colonic lesions: a prospective cohort study (Bassan et al). 2013;77:90-5 (Original article: Clinical endoscopy)
Novel approach for colonic insufflation via an untethered capsule (with video) (Obstein) (Letter). 2013;77:516-7

Castleman's disease
Esophageal variceal bleeding caused by posterior mediastinal Castleman's disease (Cai et al). 2013;77:658-9 (At the focal point)

Celiac disease
Capsule endoscopy in adult celiac disease: a potential role in equivocal cases of celiac disease? (Kurien et al). 2013;77:227-32 (Original article: Clinical endoscopy)
Difficult diagnosis of celiac disease: diagnostic accuracy and utility of chromo-zoom endoscopy (Iovino et al). 2013;77:233-40 (Original article: Clinical endoscopy)

Celiac plexus
Lethal necrosis and perforation of the stomach and the aorta after multiple EUS-guided celiac plexus neurolysis procedures in a patient with chronic pancreatitis (Loeve and Mortensen). 2013;77:151-2 (Brief report)

Child
Incidence of perforation in pediatric GI endoscopy and colonoscopy: an 11-year experience (Hsu et al). 2013;77:960-6 (Case study)
Pediatric pancreatic EUS-guided trucut biopsy for evaluation of autoimmune pancreatitis (Fujii et al). 2013;77:824-8 (Case study)

Chinese Society of Digestive Endoscopy (CSDE)
ERCP service in China: results from a national survey (Liao et al). 2013;77:39-46 (Original article: Clinical endoscopy)

Cholangiocarcinoma
Is a self-expandable metal stent better than a plastic stent in unresectable complex hilar cholangiocarcinoma with regard to the adequacy of drainage and survival of the patients? (Shao et al) (Letter); (Sangchan and Mairiang) (Response). 2013;77:156-7
Total necrosis of rapid growing hilar cholangiocarcinoma (Cha et al). 2013;77:956-8 (At the focal point)

Cholangioscopy
Comparison of the diagnostic accuracy of peroral video-cholangioscopic visual findings and cholangioscopy-guided forceps biopsy findings for indeterminate biliary lesions: a prospective study (Nishikawa et al). 2013;77:219-26 (Original article: Clinical endoscopy)

Cholecystitis
EUS-guided transenteric gallbladder drainage with a new fistula-forming, lumen-apposing metal stent (de la Serna-Higuera et al). 2013;77:303-8 (Case study)

Choriocarcinoma
An unusual cause of lower GI bleeding in a young woman: metastatic gestational choriocarcinoma (Arora et al). 2013;77:152-4 (Brief report)

Chromoendoscopy
Difficult diagnosis of celiac disease: diagnostic accuracy and utility of chromo-zoom endoscopy (Iovino et al). 2013;77:233-40 (Original article: Clinical endoscopy)
Image-enhanced endoscopy for the diagnosis of colon neoplasms (Fujiya and Kohgo). 2013;77:111-8 (Review article)
Topical submucosal chromoendoscopy defines the level of resection in colonic EMR and may improve procedural safety (with video) (Holt et al). 2013;77:949-53 (New method: Clinical endoscopy)

Chylothorax
Chylothorax as a rare complication after severe necrotizing pancreatitis and endoscopic pancreatic necrosectomy (Teoh et al). 2013;77:498-500 (At the focal point)

Clips
An endoclip for life? (Hashash and Behari). 2013;77:296-7 (At the focal point)
To clip or not to clip: is that the question? (Edmundowicz). 2013;77:408-9 (Editorial)
Prophylactic clip closure reduced the risk of delayed postpolypectomy hemorrhage: experience in 277 clipped large sessile or flat colorectal lesions and 247 control lesions (Liaquat et al). 2013;77:401-7 (Original article: Clinical endoscopy)
Total gastrectomy in an elderly patient complicated by esophageal fistula: rescue by the over-the-scope clip (Noronha Ferreira et al). 2013;77:497-8 (At the focal point)
The way to remove an over-the-scope-clip (with video) (Arezzo et al) (Letter); (Neumann et al)

(Response). 2013;77:974-6

Colitis

Acute hemorrhagic colitis after oral administration of oseltamivir for influenza (Chen and Lai) (Letter). 2013;77:976

Colonography, computed tomographic

Screening and surveillance for colorectal cancer: state of the art (Kahi et al). 2013;77:335-50 (Review article)

Colonoscopy

Adenoma detection rate is necessary but insufficient for distinguishing high versus low endoscopist performance (Wang et al). 2013;77:71-8 (Original article: Clinical endoscopy)

Adverse events requiring hospitalization within 30 days after outpatient screening and nonscreening colonoscopies (Stock et al). 2013;77:419-29 (Original article: Clinical endoscopy)

Assessment of adenoma detection rate benchmarks in women versus men (Coe and Wallace). 2013;77:631-5 (Original article: Clinical endoscopy)

Association of polypectomy techniques, endoscopist volume, and facility type with colonoscopy complications (Chukmaitov et al). 2013;77:436-46 (Original article: Clinical endoscopy)

A blinded comparison of the safety and efficacy of hot biopsy forceps electrocauterization and conventional snare polypectomy for diminutive colonic polypectomy in a porcine model (Metz et al). 2013;77:484-90 (Original article: Experimental endoscopy)

Carbon dioxide insufflation does not reduce pain scores during colonoscope insertion in unsedated patients: a randomized, controlled trial (Chen et al). 2013;77:79-89 (Original article: Clinical endoscopy)

Carbon dioxide insufflation reduces number of postprocedure admissions after endoscopic resection of large colonic lesions: a prospective cohort study (Bassan et al). 2013;77:90-5 (Original article: Clinical endoscopy)

To clip or not to clip: is that the question? (Edmundowicz). 2013;77:408-9 (Editorial)

Colonoscopic splenic injury warrants more attention (Rex). 2013;77:941-3 (Thinking outside the box)

Comparison of adenoma detection rate in Hispanics and whites undergoing first screening colonoscopy: a retrospective chart review (Thoma et al). 2013;77:430-5 (Original article: Clinical endoscopy)

Comparison of standard forward-viewing mode versus ultrawide-viewing mode of a novel colonoscopy platform: a prospective, multicenter study in the detection of simulated polyps in an in vitro colon model (with video) (Gralnek et al) 2013;77:472-9 (Original article: Clinical endoscopy). Correction 2013;77:833

Development and validation of a nurse-assessed patient comfort score for colonoscopy (Rostom et al). 2013;77:255-61 (Original article: Clinical endoscopy)

Differences in proximal serrated polyp detection among endoscopists are associated with variability in withdrawal time (de Wijkerslooth et al). 2013;77:617-23 (Original article: Clinical endoscopy)

Endoscopic features of sessile serrated adenomas: validation by international experts using high-resolution white-light endoscopy and narrow-band imaging (Hazewinkel et al). 2013;77:916-24 (Original article: Clinical endoscopy)

Factors associated with failed polyp retrieval at screening colonoscopy (Komeda et al). 2013;77:395-400 (Original article: Clinical endoscopy)

Impact of a quarterly report card on colonoscopy quality measures (Kahi et al). 2013;77:925-31 (Original article: Clinical endoscopy)

Incidence of perforation in pediatric GI endoscopy and colonoscopy: an 11-year experience (Hsu et al). 2013;77:960-6 (Case study)

A low-residue diet improved patient satisfaction with split-dose oral sulfate solution without impairing colonic preparation (Sipe et al). 2013;77:932-6 (Original article: Clinical endoscopy)

Measurement of polypectomy rate by using administrative claims data with validation against the adenoma detection rate (Patel et al). 2013;77:390-4 (Original article: Clinical endoscopy)

Methods of luminal distention for colonoscopy (ASGE Technology Assessment Committee). 2013;77:519-25 (Technology status evaluation report)

Modifiable endoscopic factors that influence the adenoma detection rate in colorectal cancer screening colonoscopies (Jover et al). 2013;77:381-9 (Original article: Clinical endoscopy)

Novel approach for colonic insufflation via an untethered capsule (with video) (Obstein) (Letter). 2013;77:516-7

A novel extra-wide-angle–view colonoscope: a simulated pilot study using anatomic colorectal models (Uraoka et al). 2013;77:480-3 (Original article: Clinical endoscopy)

A novel method with significant impact on adenoma detection: combined water-exchange and cap-assisted colonoscopy (Yen et al). 2013;77:944-8 (New method: Clinical endoscopy)

Portal venous gas after colonoscopy in two patients with Crohn's disease (Rao et al) (Letter). 2013;77:316-8

Prophylactic clip closure reduced the risk of delayed postpolypectomy hemorrhage: experience in 277 clipped large sessile or flat colorectal lesions and 247 control lesions (Liaquat et al). 2013;77:401-7 (Original article: Clinical endoscopy)

Reliability of adenoma detection rate is based on procedural volume (Do et al). 2013;77:376-80 (Original article: Clinical endoscopy)

The role of colonoscopy in evaluating hematochezia: a population-based study in a large consortium of endoscopy practices (Gralnek et al). 2013;77:410-8 (Original article: Clinical endoscopy)

Screening and surveillance for colorectal cancer: state of the art (Kahi et al). 2013;77:335-50 (Review article)

Short- and long-term risk of colorectal adenoma recurrence among whites and blacks (Laiyemo et al). 2013;77:447-54 (Original article: Clinical endoscopy)

Suture marker lesion detection in the colon by self-stabilizing and unmodified capsule endoscopes: pilot study in acute canine models (Filip et al). 2013;77:272-9 (Original article: Experimental endoscopy)

Tattoo of more than lymph nodes (Tutticci et al) (Letter); (Bartels et al) (Response). 2013;77:831-2

Water exchange enhanced cecal intubation in potentially difficult colonoscopy. Unsedated patients with prior abdominal or pelvic surgery: a prospective, randomized, controlled trial (Luo et al). 2013;77:767-73 (Original article: Clinical endoscopy)

Colorectal neoplasms; *see also* Adenoma; Polyps

Evolving endoscopic strategies for detection and treatment of neoplastic lesions in inflammatory bowel disease (Murthy and Kiesslich). 2013;77:351-9 (Review article)

Image-enhanced endoscopy for the diagnosis of colon neoplasms (Fujiya and Kohgo). 2013;77:111-8 (Review article)

Screening and surveillance for colorectal cancer: state of the art (Kahi et al). 2013;77:335-50 (Review article)

Serrated lesions and hyperplastic (serrated) polyposis relationship with colorectal cancer: classification and surveillance recommendations (Orlowska). 2013;77:858-71 (Review article)

Topical submucosal chromoendoscopy defines the level of resection in colonic EMR and may improve procedural safety (with video) (Holt et al). 2013;77:949-53 (New method: Clinical endoscopy)

Continuing Medical Education Activity

April 2013. 2013;77:636

February 2013. 2013;77:280

January 2013. 2013;77:108

June 2013. 2013;77:937

March 2013. 2013;77:491

May 2013. 2013;77:801

Correspondence; *see* Letters to the Editor

Crohn disease

Portal venous gas after colonoscopy in two patients with Crohn's disease (Rao et al) (Letter). 2013;77:316-8

Cryosurgery

A novel flexible cryoprobe for EUS-guided pancreatic biopsies (von Renteln et al). 2013;77:784-92 (Original article: Experimental endoscopy)

Cyanoacrylates

Cyanoacrylate applications in the GI tract (Cameron and Binmoeller). 2013;77:846-57 (Technical review)

Cytological techniques

Investigating branch duct intraductal papillary mucinous neoplasms: is large-volume lavage cytology the wave of the future? (Arcidiacono and Baillie). 2013;77:736-8 (Editorial)

Pancreatic duct lavage cytology with the cell block method for discriminating benign and malignant branch-duct type intraductal papillary mucinous neoplasms (Sai et al). 2013;77:726-35 (Original article: Clinical endoscopy)

D

Diet, low-residue

A low-residue diet improved patient satisfaction with split-dose oral sulfate solution without impairing colonic preparation (Sipe et al). 2013;77:932-6 (Original article: Clinical endoscopy)

Diverticulum

Aurora rings: a novel endoscopic finding to distinguish inverted colonic diverticula from colon polyps (Share et al). 2013;77:308-12 (Case study)

Endoscopic treatment for Zenker's diverticulum: long-term results (with video) (Huberty et al). 2013;77:701-7 (Original article: Clinical endoscopy)

Transoral flexible endoscopic therapy of Zenker's diverticulum: is it time for gastroenterologists to stick their necks out? (Katzka and Baron). 2013;77:708-10 (Editorial)

DNA mutational analysis

EUS-guided pancreatic fluid aspiration for DNA analysis of *KRAS* and GNAS mutations for the evaluation of pancreatic cystic neoplasia: a pilot study (Siddiqui et al) (Letter). 2013;77:669-70

Double-balloon enteroscopy (DBE)

An unusual double-balloon enteroscopy finding:

duodenal perforation by an inferior vena cava filter (Rondonotti et al). 2013;77:661-2 (At the focal point)
Balloon-assisted enteroscopy for the treatment of a sealed jejunal perforation: removal of a penetrating fish bone (with video) (Alkhatib et al). 2013;77:133-5 (At the focal point)
Diagnostic and therapeutic yield is not influenced by the timing of small-bowel enteroscopy: morning versus afternoon (Sanaka et al). 2013;77:62-70 (Original article: Clinical endoscopy)
Double-balloon overtube—assisted endoscopic pancreas function test as a tool to rule out chronic pancreatitis in a patient with a previous Frey procedure (Lara and DeMarco) (Letter). 2013;77:671-2
Is double-balloon enteroscopy superior to spiral enteroscopy? (Yamamoto). 2013;77:250-1 (Editorial)
A multicenter, U.S. experience of single-balloon, double-balloon, and rotational overtube–assisted enteroscopy ERCP in patients with surgically altered pancreaticobiliary anatomy (with video) (Shah et al). 2013;77:593-600 (Original article: Clinical endoscopy)
Prospective, randomized, single-center trial comparing double-balloon enteroscopy and spiral enteroscopy in patients with suspected small-bowel disorders (Messer et al). 2013;77:241-9 (Original article: Clinical endoscopy)
Spiral enteroscopy versus double-balloon enteroscopy: choosing the right tool for the job (Akerman). 2013;77:252-4 (Editorial)

Drug shortages

Drug shortages in America: what about the gastroenterologist? (Menees et al). 2013;77:641-5 (Perspective)

Duodenal diseases

An unusual double-balloon enteroscopy finding: duodenal perforation by an inferior vena cava filter (Rondonotti et al). 2013;77:661-2 (At the focal point)
A case of Zollinger-Ellison syndrome diagnosed by duodenal ulcer perforation into the gallbladder (Inuzuka et al). 2013;77:659-61 (At the focal point)
Duodenal lipomatosis (Weinstock et al). 2013;77:954-5 (At the focal point)
Endoscopic appearance of duodenal mucosa in Whipple's disease (Salkic et al). 2013;77:822-3 (At the focal point)
ERCP cannulation of the major papilla hooded by a redundant Kerckring's fold: the technique of papillary traction and not hood elevation (Wee) (Letter). 2013;77:515-6
The role of high-resolution endoscopy and narrow-band imaging in the evaluation of upper GI neoplasia in familial adenomatous polyposis (Lopez-Ceron et al). 2013;77:542-50 (Original article: Clinical endoscopy)

E

Editorials

To clip or not to clip: is that the question? (Edmundowicz). 2013;77:408-9
Competency in EUS: is it the curriculum, test, trainer, or trainee? (Sedarat and Kochman). 2013;77:566-7
Conquering the third space: challenges and opportunities for diagnostic and therapeutic endoscopy (Khashab and Pasricha). 2013;77:146-8
Endoscopic full-thickness plication for the treatment of GERD: is there a future? (Louis). 2013;77:15-7
EUS elastography: is it replacing or supplementing tissue acquisition? (Deprez). 2013;77:590-2
Hemostatic powder spray for GI bleeding (Aslanian and Laine). 2013;77:508-10
Investigating branch duct intraductal papillary mucinous neoplasms: is large-volume lavage cytology the wave of the future? (Arcidiacono and Baillie). 2013;77:736-8
Is double-balloon enteroscopy superior to spiral enteroscopy? (Yamamoto). 2013;77:250-1
Needle-knife electrocautery: "Give me a lever and I will move the world" (Costamagna and Boškoski). 2013;77:759-60
Positive domino effect, choice of conscious sedation, and endoscopic unit efficiency (Mönkemüller and Wilcox). 2013;77:888-90
Prophylactic main pancreatic duct stenting before precut biliary sphincterotomy: hold on to what you've got (Abu Dayyeh). 2013;77:217-8
Spiral enteroscopy versus double-balloon enteroscopy: choosing the right tool for the job (Akerman). 2013;77:252-4
Transoral flexible endoscopic therapy of Zenker's diverticulum: is it time for gastroenterologists to stick their necks out? (Katzka and Baron). 2013;77:708-10

Education, medical

Competency in EUS: is it the curriculum, test, trainer, or trainee? (Sedarat and Kochman). 2013;77:566-7 (Editorial)
Creation of simulated papillae for endoscopic sphincterotomy and papillectomy training by using in vivo and ex vivo pig model (with videos) (Itoi et al). 2013;77:793-800 (Original article: Experimental endoscopy)
Guidewires in ERCP (Singhvi and Dea). 2013;77:938-40 (The Fellows' Corner)
Learning curves for EUS by using cumulative sum analysis: implications for American Society for Gastrointestinal Endoscopy recommendations for training (Wani et al). 2013;77:558-65 (Original article: Clinical endoscopy)
Peroral endoscopic esophageal myotomy: defining the learning curve (Kurian et al). 2013;77:719-25 (Original article: Clinical endoscopy)
Precut needle-knife sphincterotomy in advanced endoscopy fellowship (Anastassiades and Saxena). 2013;77:637-40 (The Fellows' Corner)
Quality improvement for the gastroenterology fellow (Easler). 2013;77:281-3 (The Fellows' Corner)
Small-bowel endoscopy core curriculum (ASGE Training Committee). 2013;77:1-6 (Core curriculum)
Thoughts on starting a peroral endoscopic myotomy program (Khashab). 2013;77:109-10 (The Fellows' Corner)

EGD; *see* Esophagogastroduodenoscopy (EGD)

Elasticity imaging techniques

EUS elastography: is it replacing or supplementing tissue acquisition? (Deprez). 2013;77:590-2 (Editorial)
EUS elastography for diagnosis of solid pancreatic masses: a meta-analysis (Mei et al). 2013;77:578-89 (Original article: Clinical endoscopy)

Electrosurgery

Feasibility of using wire-guided needle-knife electrocautery for refractory biliary and pancreatic strictures (Gao et al). 2013;77:752-8 (Original article: Clinical endoscopy)
Needle-knife electrocautery: "Give me a lever and I will move the world" (Costamagna and Boškoski). 2013;77:759-60 (Editorial)

EMR; *see* Endoscopic mucosal resection (EMR)

Endoscopes

Comparison of standard forward-viewing mode versus ultrawide-viewing mode of a novel colonoscopy platform: a prospective, multicenter study in the detection of simulated polyps in an in vitro colon model (with video) (Gralnek et al) 2013;77:472-9 (Original article: Clinical endoscopy). Correction 2013;77:833
The endoscopic cap and upper GI bleeding (Moreels) (Letter); (Sanchez-Yague et al) (Response). 2013;77:155
ERCP with retrieval balloon-assisted enteroscopy using traditional duodenoscope in post-GI surgery patients (Zhuang et al) (Letter). 2013;77:315-6
EUS-guided rendezvous pancreaticogastrostomy in a patient with central pancreatectomy (Teoh et al). 2013;77:500-1 (At the focal point)
A novel extra-wide-angle–view colonoscope: a simulated pilot study using anatomic colorectal models (Uraoka et al). 2013;77:480-3 (Original article: Clinical endoscopy)
Use of a convex probe-endobronchial US endoscope in EUS of the rectum and FNA (Rego et al) (Letter). 2013;77:157-9
Use of a single-balloon enteroscope compared with variable-stiffness colonoscopes for endoscopic retrograde cholangiography in liver transplant patients with Roux-en-Y biliary anastomosis (Azeem et al). 2013;77:568-77 (Original article: Clinical endoscopy)

Endoscopic mucosal resection (EMR)

Endotherapy for superficial adenocarcinoma of the esophagus: an American experience (Saligram et al). 2013;77:872-6 (Original article: Clinical endoscopy)
Topical submucosal chromoendoscopy defines the level of resection in colonic EMR and may improve procedural safety (with video) (Holt et al). 2013;77:949-53 (New method: Clinical endoscopy)

Endoscopic resection

Carbon dioxide insufflation reduces number of postprocedure admissions after endoscopic resection of large colonic lesions: a prospective cohort study (Bassan et al). 2013;77:90-5 (Original article: Clinical endoscopy)
Long-term outcomes of patients with Barrett's esophagus and high-grade dysplasia or early cancer treated with endoluminal therapies with intention to complete eradication (Guarner-Argente et al). 2013;77:190-9 (Original article: Clinical endoscopy)

Endoscopic retrograde cholangiography (ERC)

Use of a single-balloon enteroscope compared with variable-stiffness colonoscopes for endoscopic retrograde cholangiography in liver transplant patients with Roux-en-Y biliary anastomosis (Azeem et al). 2013;77:568-77 (Original article: Clinical endoscopy)

Endoscopic retrograde cholangiopancreatography (ERCP)

Difficult cannulation is the most important factor for post-ERCP pancreatitis: what is the mechanism? (Ozaslan) (Letter); (Mariani et al) (Response). 2013;77:313-5
Does leaving a main pancreatic duct stent in place reduce the incidence of precut biliary sphincterotomy–associated pancreatitis? A randomized, prospective study (Cha et al). 2013;77:209-16 (Original article: Clinical endoscopy)
ERCP cannulation of the major papilla hooded by a redundant Kerckring's fold: the technique of papillary traction and not hood elevation (Wee) (Letter). 2013;77:515-6
ERCP service in China: results from a national survey (Liao et al). 2013;77:39-46 (Original article: Clinical endoscopy)
ERCP with retrieval balloon-assisted enteroscopy using traditional duodenoscope in post-GI surgery patients (Zhuang et al) (Letter). 2013;

77:315-6
Guidewires in ERCP (Singhvi and Dea). 2013;77:938-40 (The Fellows' Corner)
Location of bile leak predicts the success of ERCP performed for postoperative bile leaks (Tewani et al). 2013;77:601-8 (Original article: Clinical endoscopy)
A multicenter, U.S. experience of single-balloon, double-balloon, and rotational overtube–assisted enteroscopy ERCP in patients with surgically altered pancreaticobiliary anatomy (with video) (Shah et al). 2013;77:593-600 (Original article: Clinical endoscopy)
Nonsteroidal anti-inflammatory drugs for prevention of post-ERCP pancreatitis: a complementary meta-analysis (Gu and Liu) (Letter); (Ding et al) (Response). 2013;77:672-4
Oral administration of edible oil before ERCP: effect on selective biliary cannulation (Wagh et al). 2013;77:55-61 (Original article: Clinical endoscopy)
Prophylactic main pancreatic duct stenting before precut biliary sphincterotomy: hold on to what you've got (Abu Dayyeh). 2013;77:217-8 (Editorial)

Endoscopic submucosal dissection (ESD)
Endoscopic submucosal dissection for residual early gastric cancer after endoscopic submucosal dissection (Higashimaya et al). 2013;77:298-302 (Case study)
High efficacy of endoscopic submucosal dissection for rectal laterally spreading tumors larger than 3 cm (Repici et al). 2013;77:96-101 (Original article: Clinical endoscopy)
A new instrument for endoscopic submucosal dissection (with videos) (Meining et al). 2013;77:654-7 (New method: Experimental endoscopy)
What is an adequate management strategy for pharyngeal low-grade dysplasia? (Shimizu et al) (Letter); (Kuwabara et al) (Response). 2013;77:972-4

Endoscopic ultrasonography (EUS)
Adverse events associated with EUS and EUS with FNA (ASGE Standards of Practice Committee). 2013;77:839-43 (Guideline)
A case of acute afferent loop syndrome treated by transgastric drainage with EUS (Matsumoto et al). 2013;77:132-3 (At the focal point)
Competency in EUS: is it the curriculum, test, trainer, or trainee? (Sedarat and Kochman). 2013;77:566-7 (Editorial)
Diagnostic bedside EUS in the intensive care unit: a single-center experience (Berzosa et al). 2013;77:200-8 (Original article: Clinical endoscopy)
EUS elastography: is it replacing or supplementing tissue acquisition? (Deprez). 2013;77:590-2 (Editorial)
EUS elastography for diagnosis of solid pancreatic masses: a meta-analysis (Mei et al). 2013;77:578-89 (Original article: Clinical endoscopy)
EUS-guided pancreatic cyst ablation: a critical review (with video) (Oh and Brugge). 2013;77:526-33 (Technical review)
EUS-guided rendezvous pancreaticogastrostomy in a patient with central pancreatectomy (Teoh et al). 2013;77:500-1 (At the focal point)
EUS-guided transenteric gallbladder drainage with a new fistula-forming, lumen-apposing metal stent (de la Serna-Higuera et al). 2013;77:303-8 (Case study)
Learning curves for EUS by using cumulative sum analysis: implications for American Society for Gastrointestinal Endoscopy recommendations for training (Wani et al). 2013;77:558-65 (Original article: Clinical endoscopy)
Lethal necrosis and perforation of the stomach and the aorta after multiple EUS-guided celiac plexus neurolysis procedures in a patient with chronic pancreatitis (Loeve and Mortensen). 2013;77:151-2 (Brief report)
A novel flexible cryoprobe for EUS-guided pancreatic biopsies (von Renteln et al). 2013;77:784-92 (Original article: Experimental endoscopy)
Pediatric pancreatic EUS-guided trucut biopsy for evaluation of autoimmune pancreatitis (Fujii et al). 2013;77:824-8 (Case study)
Submucosal saline solution injection combined with endosonography for distinguishing between stages T1a and T1b of early esophageal cancer (Li et al) (Letter). 2013;77:159-60
Transpapillary versus transmural biliary drainage in patients with an indwelling duodenal stent: when is one indicated over the other? (Hamada et al) (Letter); (Khashab and Levy) (Response). 2013;77:670-1

Endoscopic ultrasonography-guided fine-needle aspiration (EUS-FNA)
Adverse events associated with EUS and EUS with FNA (ASGE Standards of Practice Committee). 2013;77:839-43 (Guideline)
A case of primary pancreatic Burkitt's lymphoma diagnosed by EUS-guided FNA (Nakaji et al). 2013;77:958-9 (At the focal point)
Comparison of EUS needles for pancreatic masses leaves many unanswered questions (Schembre) (Letter); (Bang et al) (Response). 2013;77:829-31
Diagnostic bedside EUS in the intensive care unit: a single-center experience (Berzosa et al). 2013;77:200-8 (Original article: Clinical endoscopy)
High single-pass diagnostic yield of a new 25-gauge core biopsy needle for EUS-guided FNA biopsy in solid pancreatic lesions (Iwashita et al). 2013;77:909-15 (Original article: Clinical endoscopy)
Objective assessment of an algorithmic approach to EUS-guided FNA and interventions (Bang et al). 2013;77:739-44 (Original article: Clinical endoscopy)
A prospective, comparative trial to optimize sampling techniques in EUS-guided FNA of solid pancreatic masses (Lee et al). 2013;77:745-51 (Original article: Clinical endoscopy)
Use of a convex probe-endobronchial US endoscope in EUS of the rectum and FNA (Rego et al) (Letter). 2013;77:157-9

Equipment and supplies
Batteryless implantable dual-sensor capsule for esophageal reflux monitoring (Cao et al). 2013;77:649-53 (New method: Experimental endoscopy)
Monitoring equipment for endoscopy (ASGE Technology Committee). 2013;77:175-80 (Status evaluation report)
A new instrument for endoscopic submucosal dissection (with videos) (Meining et al). 2013;77:654-7 (New method: Experimental endoscopy)
A novel endoscopic prototype device for gastric full-thickness biopsy for the histopathologic diagnosis of GI neuromuscular pathology: in vivo porcine long-term survival study (with videos) (Fritscher-Ravens et al). 2013;77:262-71 (Original article: Experimental endoscopy)
Omentum patch substitute for facilitating endoscopic repair of GI perforations: an early laparoscopic pilot study with a foam matrix plug (with video) (Bonin et al). 2013;77:123-30 (New method: Experimental endoscopy)

ERCP; *see* Endoscopic retrograde cholangiopancreatography (ERCP)

Errata
Clinical outcomes of endoscopic submucosal dissection for rectal tumor close to the dentate line (Nakadoi et al) (2012;76:444-50). 2013;77:161
Comparison of standard forward-viewing mode versus ultrawide-viewing mode of a novel colonoscopy platform: a prospective, multicenter study in the detection of simulated polyps in an in vitro colon model (with video) (Gralnek et al) (2013;77:472-9). 2013;77:833
Endoscopic closure devices (ASGE Technology Committee) (2012;76:244-51). 2013;77:833
Guidelines for endoscopy in pregnant and lactating women (ASGE Standards of Practice Committee) (2012;76:18-24). 2013;77:833
Long-term gastric plasmacytoma follow-up after *Helicobacter pylori* eradication (Kato et al) (2013;77:674-5). 2013;77:976

ESD; *see* Endoscopic submucosal dissection (ESD)

Esophageal diseases
An uncommon cause of esophageal ulcer: a diagnostic pitfall (Chiu et al). 2013;77:294-6 (At the focal point)
Aspiration of esophageal mucosa after esophageal stent removal (Bredenoord et al). 2013;77:496-7 (At the focal point)
Endoscopic treatment for Zenker's diverticulum: long-term results (with video) (Huberty et al). 2013;77:701-7 (Original article: Clinical endoscopy)
Esophageal hyperkeratosis after proton pump inhibitor therapy in a patient with esophageal eosinophilia (Molina-Infante et al). 2013;77:131-2 (At the focal point)
Esophageal variceal bleeding caused by posterior mediastinal Castleman's disease (Cai et al). 2013;77:658-9 (At the focal point)
Peroral endoscopic esophageal myotomy: defining the learning curve (Kurian et al). 2013;77:719-25 (Original article: Clinical endoscopy)
Safety of endoscopic removal of self-expandable stents after treatment of benign esophageal diseases (van Halsema et al). 2013;77:18-28 (Original article: Clinical endoscopy)
Stent-associated esophagorespiratory fistulas: incidence and risk factors (Bick et al). 2013;77:181-9 (Original article: Clinical endoscopy)
Successful treatment of diffuse esophageal spasm by peroral endoscopic myotomy (Shiwaku et al). 2013;77:149-50 (Brief report)
Transoral flexible endoscopic therapy of Zenker's diverticulum: is it time for gastroenterologists to stick their necks out? (Katzka and Baron). 2013;77:708-10 (Editorial)

Esophageal neoplasms; *see also* Barrett's esophagus
Endotherapy for superficial adenocarcinoma of the esophagus: an American experience (Saligram et al). 2013;77:872-6 (Original article: Clinical endoscopy)
Long-term outcomes of patients with Barrett's esophagus and high-grade dysplasia or early cancer treated with endoluminal therapies with intention to complete eradication (Guarner-Argente et al). 2013;77:190-9 (Original article: Clinical endoscopy)
Novel technique for submucosal tunneling and endoscopic resection of submucosal tumors (with video) (Khashab et al). 2013;77:646-8 (Thinking outside the box)
The role of endoscopy in the assessment and treatment of esophageal cancer (ASGE Standards of Practice Committee). 2013;77:328-34 (Guideline)
Submucosal saline solution injection combined

with endosonography for distinguishing between stages T1a and T1b of early esophageal cancer (Li et al) (Letter). 2013;77:159-60

Esophageal pH monitoring

Batteryless implantable dual-sensor capsule for esophageal reflux monitoring (Cao et al). 2013;77:649-53 (New method: Experimental endoscopy)

Endoscopic full-thickness plication for the treatment of GERD: is there a future? (Louis). 2013;77:15-7 (Editorial)

Subjective and objective data on esophageal manometry and impedance pH monitoring 1 year after endoscopic full-thickness plication for the treatment of GERD by using multiple plication implants (Koch et al). 2013;77:7-14 (Original article: Clinical endoscopy)

Symptom association analysis is important in GERD patients undergoing endoscopic therapy (Savarino et al) (Letter). 2013;77:832

Esophagogastroduodenoscopy (EGD)

Impact of fentanyl in lieu of meperidine on endoscopy unit efficiency: a prospective comparative study in patients undergoing EGD (Dzeletovic et al). 2013;77:883-7 (Original article: Clinical endoscopy)

Incidence of perforation in pediatric GI endoscopy and colonoscopy: an 11-year experience (Hsu et al). 2013;77:960-6 (Case study)

Positive domino effect, choice of conscious sedation, and endoscopic unit efficiency (Mönkemüller and Wilcox). 2013;77:888-90 (Editorial)

Yikes. . . spikes! Exposed tracheal cartilaginous spikes at EGD from malignant tracheoesophageal fistula (Neumann et al). 2013;77:293-4 (At the focal point)

EUS; *see* Endoscopic ultrasonography (EUS)

F

Fats, dietary

Oral administration of edible oil before ERCP: effect on selective biliary cannulation (Wagh et al). 2013;77:55-61 (Original article: Clinical endoscopy)

Fellowships

Guidewires in ERCP (Singhvi and Dea). 2013;77:938-40 (The Fellows' Corner)

Precut needle-knife sphincterotomy in advanced endoscopy fellowship (Anastassiades and Saxena). 2013;77:637-40 (The Fellows' Corner)

Quality improvement for the gastroenterology fellow (Easler). 2013;77:281-3 (The Fellows' Corner)

Thoughts on starting a peroral endoscopic myotomy program (Khashab). 2013;77:109-10 (The Fellows' Corner)

Fistula

Cyanoacrylate applications in the GI tract (Cameron and Binmoeller). 2013;77:846-57 (Technical review)

Endoscopic treatment of postsurgical colorectal anastomotic leak (with videos) (Roldán et al). 2013;77:967-71 (Case study)

EUS-guided transenteric gallbladder drainage with a new fistula-forming, lumen-apposing metal stent (de la Serna-Higuera et al). 2013;77:303-8 (Case study)

A new method for percutaneous endoscopic suturing of persistent gastrocutaneous fistula (Ootani et al) (Letter). 2013;77:514-5

Stent-associated esophagorespiratory fistulas: incidence and risk factors (Bick et al). 2013;77:181-9 (Original article: Clinical endoscopy)

Total gastrectomy in an elderly patient complicated by esophageal fistula: rescue by the over-the-scope clip (Noronha Ferreira et al). 2013;77:497-8 (At the focal point)

Yikes. . . spikes! Exposed tracheal cartilaginous spikes at EGD from malignant tracheoesophageal fistula (Neumann et al). 2013;77:293-4 (At the focal point)

Fluorescence

Clinical utility and interobserver agreement of autofluorescence imaging and magnification narrow-band imaging for the evaluation of Barrett's esophagus: a prospective tandem study (Giacchino et al). 2013;77:711-8 (Original article: Clinical endoscopy)

Image-enhanced endoscopy for the diagnosis of colon neoplasms (Fujiya and Kohgo). 2013;77:111-8 (Review article)

Foreign bodies

An unusual double-balloon enteroscopy finding: duodenal perforation by an inferior vena cava filter (Rondonotti et al). 2013;77:661-2 (At the focal point)

Balloon-assisted enteroscopy for the treatment of a sealed jejunal perforation: removal of a penetrating fish bone (with video) (Alkhatib et al). 2013;77:133-5 (At the focal point)

Endoscopic removal of a bullet after mediastinum gunshot injury (Nagasako et al). 2013;77:955-6 (At the focal point)

Vanishing rectal subepithelial mass (Suzuki and Bhutani). 2013;77:663 (At the focal point)

Fundoplication

Endoscopic full-thickness plication for the treatment of GERD: is there a future? (Louis). 2013;77:15-7 (Editorial)

Subjective and objective data on esophageal manometry and impedance pH monitoring 1 year after endoscopic full-thickness plication for the treatment of GERD by using multiple plication implants (Koch et al). 2013;77:7-14 (Original article: Clinical endoscopy)

Symptom association analysis is important in GERD patients undergoing endoscopic therapy (Savarino et al) (Letter). 2013;77:832

G

Gastrectomy

Total gastrectomy in an elderly patient complicated by esophageal fistula: rescue by the over-the-scope clip (Noronha Ferreira et al). 2013;77:497-8 (At the focal point)

Gastric outlet obstruction

Efficacy and safety of a partially covered stent in malignant gastric outlet obstruction: a prospective Western series (Didden et al). 2013;77:664-8 (Case study)

Gastritis

Gastritis cystica profunda with a long stalk (Lee et al). 2013;77:821-2 (At the focal point)

Review of autoimmune metaplastic atrophic gastritis (Park et al). 2013;77:284-92 (Pathology article)

Gastroesophageal junction

Directional distribution of neoplasia in Barrett's esophagus is not influenced by distance from the gastroesophageal junction (Cassani et al). 2013;77:877-82 (Original article: Clinical endoscopy)

Gastroesophageal reflux

Batteryless implantable dual-sensor capsule for esophageal reflux monitoring (Cao et al). 2013;77:649-53 (New method: Experimental endoscopy)

Endoscopic full-thickness plication for the treatment of GERD: is there a future? (Louis). 2013;77:15-7 (Editorial)

Subjective and objective data on esophageal manometry and impedance pH monitoring 1 year after endoscopic full-thickness plication for the treatment of GERD by using multiple plication implants (Koch et al). 2013;77:7-14 (Original article: Clinical endoscopy)

Symptom association analysis is important in GERD patients undergoing endoscopic therapy (Savarino et al) (Letter). 2013;77:832

Gastrointestinal motility

A novel endoscopic prototype device for gastric full-thickness biopsy for the histopathologic diagnosis of GI neuromuscular pathology: in vivo porcine long-term survival study (with videos) (Fritscher-Ravens et al). 2013;77:262-71 (Original article: Experimental endoscopy)

Gastrointestinal stromal tumors

Retract-ligate-unroof-biopsy: a novel approach to the diagnosis and therapy of large nonpedunculated stromal tumors (with video) (Binmoeller et al). 2013;77:803-8 (New method: Clinical endoscopy)

Gastrotomy

Comparison of gastrotomy closure modalities for natural orifice transluminal surgery: a canine study (Sun et al). 2013;77:774-83 (Original article: Experimental endoscopy)

GERD; *see* Gastroesophageal reflux

Guidelines

Adverse events associated with EUS and EUS with FNA (ASGE Standards of Practice Committee). 2013;77:839-43 (Guideline)

The role of endoscopy in the assessment and treatment of esophageal cancer (ASGE Standards of Practice Committee). 2013;77:328-34 (Guideline)

The role of endoscopy in the evaluation and treatment of patients with biliary neoplasia (ASGE Standards of Practice Committee). 2013;77:167-74 (Guideline)

H

Helicobacter pylori

Long-term gastric plasmacytoma follow-up after *Helicobacter pylori* eradication (Kato et al) (Letter) 2013;77:674-5. Correction 2013;77:976

Hematochezia

The role of colonoscopy in evaluating hematochezia: a population-based study in a large consortium of endoscopy practices (Gralnek et al). 2013;77:410-8 (Original article: Clinical endoscopy)

Hemorrhage

The AIMS65 score compared with the Glasgow-Blatchford score in predicting outcomes in upper GI bleeding (Hyett et al). 2013;77:551-7 (Original article: Clinical endoscopy)

An unusual cause of lower GI bleeding in a young woman: metastatic gestational choriocarcinoma (Arora et al). 2013;77:152-4 (Brief report)

To clip or not to clip: is that the question? (Edmundowicz). 2013;77:408-9 (Editorial)

The endoscopic cap and upper GI bleeding (Moreels) (Letter); (Sanchez-Yague et al) (Response). 2013;77:155

End-stage renal disease is associated with worse outcomes in hospitalized patients with peptic ulcer bleeding (Parasa et al). 2013;77:609-16 (Original article: Clinical endoscopy)

Esophageal variceal bleeding caused by posterior mediastinal Castleman's disease (Cai et al). 2013;77:658-9 (At the focal point)

Hemostatic powder spray for GI bleeding (Aslanian and Laine). 2013;77:508-10 (Editorial)

Interventions and outcomes of treatment of postbanding ulcer hemorrhage after endoscopic band ligation: a single-center case series (Tierney et al). 2013;77:136-40 (Case study)

Large gastric lipoma presenting with GI bleeding (Rao et al) (Letter). 2013;77:512-3

Lower GI hemorrhage controlled with endoscopically applied TC-325 (with videos) (Soulellis et al). 2013;77:504-7 (Case study)
Prophylactic clip closure reduced the risk of delayed postpolypectomy hemorrhage: experience in 277 clipped large sessile or flat colorectal lesions and 247 control lesions (Liaquat et al). 2013;77:401-7 (Original article: Clinical endoscopy)
Risk stratification of upper GI bleeding with an esophageal capsule (Chandran et al). 2013;77:891-8 (Original article: Clinical endoscopy)
Timing of video capsule endoscopy relative to overt obscure GI bleeding: implications from a retrospective study (Singh et al). 2013;77:761-6 (Original article: Clinical endoscopy)
Topical hemostatic agents: a systematic review with particular emphasis on endoscopic application in GI bleeding (Barkun et al). 2013;77:692-700 (Review article)

Hernia, hiatal
Unusual intussusception within a hiatal hernia sac, reduced endoscopically (El Hajj et al). 2013;77:820-1 (At the focal point)

Hyperkeratosis
Esophageal hyperkeratosis after proton pump inhibitor therapy in a patient with esophageal eosinophilia (Molina-Infante et al). 2013;77:131-2 (At the focal point)

I

Image registration system
Comparative study of NOTES alone versus NOTES guided by a new image registration system for navigation in the mediastinum: a study in a porcine model (Córdova et al). 2013;77:102-7 (Original article: Experimental endoscopy)

Inflammatory bowel diseases
Evolving endoscopic strategies for detection and treatment of neoplastic lesions in inflammatory bowel disease (Murthy and Kiesslich). 2013;77:351-9 (Review article)

Insufflation
Carbon dioxide insufflation does not reduce pain scores during colonoscope insertion in unsedated patients: a randomized, controlled trial (Chen et al). 2013;77:79-89 (Original article: Clinical endoscopy)
Carbon dioxide insufflation reduces number of postprocedure admissions after endoscopic resection of large colonic lesions: a prospective cohort study (Bassan et al). 2013;77:90-5 (Original article: Clinical endoscopy)
Methods of luminal distention for colonoscopy (ASGE Technology Assessment Committee). 2013;77:519-25 (Technology status evaluation report)
Novel approach for colonic insufflation via an untethered capsule (with video) (Obstein) (Letter). 2013;77:516-7

Intensive care units
Diagnostic bedside EUS in the intensive care unit: a single-center experience (Berzosa et al). 2013;77:200-8 (Original article: Clinical endoscopy)

Internet
Social media, health care, and social networking (Prasad). 2013;77:492-5 (Perspectives)

Intestinal perforation
An unusual double-balloon enteroscopy finding: duodenal perforation by an inferior vena cava filter (Rondonotti et al). 2013;77:661-2 (At the focal point)
Balloon-assisted enteroscopy for the treatment of a sealed jejunal perforation: removal of a penetrating fish bone (with video) (Alkhatib et al). 2013;77:133-5 (At the focal point)
Incidence of perforation in pediatric GI endoscopy and colonoscopy: an 11-year experience (Hsu et al). 2013;77:960-6 (Case study)
The way to remove an over-the-scope-clip (with video) (Arezzo et al) (Letter); (Neumann et al) (Response). 2013;77:974-6

Intussusception
Unusual intussusception within a hiatal hernia sac, reduced endoscopically (El Hajj et al). 2013;77:820-1 (At the focal point)

Irritable bowel syndrome
Breaks in the wall: increased gaps in the intestinal epithelium of irritable bowel syndrome patients identified by confocal laser endomicroscopy (with videos) (Turcotte et al). 2013;77:624-30 (Original article: Clinical endoscopy)

J

Jejunal diseases
Balloon-assisted enteroscopy for the treatment of a sealed jejunal perforation: removal of a penetrating fish bone (with video) (Alkhatib et al). 2013;77:133-5 (At the focal point)

K

Kidney failure, chronic
End-stage renal disease is associated with worse outcomes in hospitalized patients with peptic ulcer bleeding (Parasa et al). 2013;77:609-16 (Original article: Clinical endoscopy)

L

Lanthanum
Pharmacobezoar in a patient on an oral phosphate binder (Black et al) (Letter). 2013;77:511-2

Learning curve
Competency in EUS: is it the curriculum, test, trainer, or trainee? (Sedarat and Kochman). 2013;77:566-7 (Editorial)
Learning curves for EUS by using cumulative sum analysis: implications for American Society for Gastrointestinal Endoscopy recommendations for training (Wani et al). 2013;77:558-65 (Original article: Clinical endoscopy)
Peroral endoscopic esophageal myotomy: defining the learning curve (Kurian et al). 2013;77:719-25 (Original article: Clinical endoscopy)

Letters to the Editor
Acute hemorrhagic colitis after oral administration of oseltamivir for influenza (Chen and Lai) (Letter). 2013;77:976
Comparison of EUS needles for pancreatic masses leaves many unanswered questions (Schembre) (Letter); (Bang et al) (Response). 2013;77:829-31
Difficult cannulation is the most important factor for post-ERCP pancreatitis: what is the mechanism? (Ozaslan) (Letter); (Mariani et al) (Response). 2013;77:313-5
Double-balloon overtube—assisted endoscopic pancreas function test as a tool to rule out chronic pancreatitis in a patient with a previous Frey procedure (Lara and DeMarco) (Letter). 2013;77:671-2
The endoscopic cap and upper GI bleeding (Moreels) (Letter); (Sanchez-Yague et al) (Response). 2013;77:155
ERCP cannulation of the major papilla hooded by a redundant Kerckring's fold: the technique of papillary traction and not hood elevation (Wee) (Letter). 2013;77:515-6
ERCP with retrieval balloon-assisted enterography using traditional duodenoscope in post-GI surgery patients (Zhuang et al) (Letter). 2013;77:315-6
EUS-guided pancreatic fluid aspiration for DNA analysis of *KRAS* and GNAS mutations for the evaluation of pancreatic cystic neoplasia: a pilot study (Siddiqui et al) (Letter). 2013;77:669-70
Is a self-expandable metal stent better than a plastic stent in unresectable complex hilar cholangiocarcinoma with regard to the adequacy of drainage and survival of the patients? (Shao et al) (Letter); (Sangchan and Mairiang) (Response). 2013;77:156-7
Large gastric lipoma presenting with GI bleeding (Rao et al) (Letter). 2013;77:512-3
Long-term gastric plasmacytoma follow-up after *Helicobacter pylori* eradication (Kato et al) (Letter) 2013;77:674-5. Correction 2013;77:976
A new method for percutaneous endoscopic suturing of persistent gastrocutaneous fistula (Ootani et al) (Letter). 2013;77:514-5
Nonsteroidal anti-inflammatory drugs for prevention of post-ERCP pancreatitis: a complementary meta-analysis (Gu and Liu) (Letter); (Ding et al) (Response). 2013;77:672-4
Novel approach for colonic insufflation via an untethered capsule (with video) (Obstein) (Letter). 2013;77:516-7
Pharmacobezoar in a patient on an oral phosphate binder (Black et al) (Letter). 2013;77:511-2
Portal venous gas after colonoscopy in two patients with Crohn's disease (Rao et al) (Letter). 2013;77:316-8
Submucosal saline solution injection combined with endosonography for distinguishing between stages T1a and T1b of early esophageal cancer (Li et al) (Letter). 2013;77:159-60
Symptom association analysis is important in GERD patients undergoing endoscopic therapy (Savarino et al) (Letter). 2013;77:832
Tattoo of more than lymph nodes (Tutticci et al) (Letter); (Bartels et al) (Response). 2013;77:831-2
Transpapillary versus transmural biliary drainage in patients with an indwelling duodenal stent: when is one indicated over the other? (Hamada et al) (Letter); (Khashab and Levy) (Response). 2013;77:670-1
Use of a convex probe-endobronchial US endoscope in EUS of the rectum and FNA (Rego et al) (Letter). 2013;77:157-9
The way to remove an over-the-scope-clip (with video) (Arezzo et al) (Letter); (Neumann et al) (Response). 2013;77:974-6
What is an adequate management strategy for pharyngeal low-grade dysplasia? (Shimizu et al) (Letter); (Kuwabara et al) (Response). 2013;77:972-4

Ligation
Interventions and outcomes of treatment of postbanding ulcer hemorrhage after endoscopic band ligation: a single-center case series (Tierney et al). 2013;77:136-40 (Case study)
Retract-ligate-unroof-biopsy: a novel approach to the diagnosis and therapy of large nonpedunculated stromal tumors (with video) (Binmoeller et al). 2013;77:803-8 (New method: Clinical endoscopy)

Lipoma
Duodenal lipomatosis (Weinstock et al). 2013;77:954-5 (At the focal point)
Large gastric lipoma presenting with GI bleeding (Rao et al) (Letter). 2013;77:512-3

Liver cirrhosis
An endoclip for life? (Hashash and Behari). 2013;77:296-7 (At the focal point)

Liver transplantation
Endoscopic treatment of anastomotic biliary strictures after living donor liver transplanta-

tion: outcomes after maximal stent therapy (Hsieh et al). 2013;77:47-54 (Original article: Clinical endoscopy)
Managing the post–liver transplantation anastomotic biliary stricture: multiple plastic versus metal stents: a systematic review (Kao et al). 2013;77:679-91 (Review article)
Use of a single-balloon enteroscope compared with variable-stiffness colonoscopes for endoscopic retrograde cholangiography in liver transplant patients with Roux-en-Y biliary anastomosis (Azeem et al). 2013;77:568-77 (Original article: Clinical endoscopy)

Lymph nodes
Tattoo of more than lymph nodes (Tutticci et al) (Letter); (Bartels et al) (Response). 2013;77:831-2

M

Magnifying endoscopy with narrow-band imaging
Clinical utility and interobserver agreement of autofluorescence imaging and magnification narrow-band imaging for the evaluation of Barrett's esophagus: a prospective tandem study (Giacchino et al). 2013;77:711-8 (Original article: Clinical endoscopy)

Malabsorption syndromes
Endoscopic appearance of duodenal mucosa in Whipple's disease (Salkic et al). 2013;77:822-3 (At the focal point)

Manometry, esophageal
Endoscopic full-thickness plication for the treatment of GERD: is there a future? (Louis). 2013;77:15-7 (Editorial)
Subjective and objective data on esophageal manometry and impedance pH monitoring 1 year after endoscopic full-thickness plication for the treatment of GERD by using multiple plication implants (Koch et al). 2013;77:7-14 (Original article: Clinical endoscopy)
Symptom association analysis is important in GERD patients undergoing endoscopic therapy (Savarino et al) (Letter). 2013;77:832

Mediastinum
Comparative study of NOTES alone versus NOTES guided by a new image registration system for navigation in the mediastinum: a study in a porcine model (Córdova et al). 2013;77:102-7 (Original article: Experimental endoscopy)
Endoscopic removal of a bullet after mediastinum gunshot injury (Nagasako et al). 2013;77:955-6 (At the focal point)

Memorial
Basil Isaac Hirschowitz, MD (Wilcox and Elson). 2013;77:677-8 (In Memoriam)
William S. Haubrich, MD (Lightdale). 2013;77:844-5 (In Memoriam)

Microscopy, confocal
The accuracy of probe-based confocal endomicroscopy versus conventional endoscopic biopsies for the diagnosis of superficial gastric neoplasia (with videos) (Bok et al). 2013;77:899-908 (Original article: Clinical endoscopy)
Breaks in the wall: increased gaps in the intestinal epithelium of irritable bowel syndrome patients identified by confocal laser endomicroscopy (with videos) (Turcotte et al). 2013;77:624-30 (Original article: Clinical endoscopy)

Models, anatomic
Comparison of standard forward-viewing mode versus ultrawide-viewing mode of a novel colonoscopy platform: a prospective, multicenter study in the detection of simulated polyps in an in vitro colon model (with video) (Gralnek et al) 2013;77:472-9 (Original article: Clinical endoscopy). Correction 2013;77:833
A novel extra-wide-angle–view colonoscope: a simulated pilot study using anatomic colorectal models (Uraoka et al). 2013;77:480-3 (Original article: Clinical endoscopy)

Monitoring, physiologic
Monitoring equipment for endoscopy (ASGE Technology Committee). 2013;77:175-80 (Status evaluation report)

Mutation
EUS-guided pancreatic fluid aspiration for DNA analysis of *KRAS* and GNAS mutations for the evaluation of pancreatic cystic neoplasia: a pilot study (Siddiqui et al) (Letter). 2013;77:669-70

N

Narrow-band imaging (NBI)
Clinical utility and interobserver agreement of autofluorescence imaging and magnification narrow-band imaging for the evaluation of Barrett's esophagus: a prospective tandem study (Giacchino et al). 2013;77:711-8 (Original article: Clinical endoscopy)
Endoscopic features of sessile serrated adenomas: validation by international experts using high-resolution white-light endoscopy and narrow-band imaging (Hazewinkel et al). 2013;77:916-24 (Original article: Clinical endoscopy)
Image-enhanced endoscopy for the diagnosis of colon neoplasms (Fujiya and Kohgo). 2013;77:111-8 (Review article)
The role of high-resolution endoscopy and narrow-band imaging in the evaluation of upper GI neoplasia in familial adenomatous polyposis (Lopez-Ceron et al). 2013;77:542-50 (Original article: Clinical endoscopy)

Natural orifice transluminal endoscopic surgery (NOTES)
Comparative study of NOTES alone versus NOTES guided by a new image registration system for navigation in the mediastinum: a study in a porcine model (Córdova et al). 2013;77:102-7 (Original article: Experimental endoscopy)
Comparison of gastrotomy closure modalities for natural orifice transluminal surgery: a canine study (Sun et al). 2013;77:774-83 (Original article: Experimental endoscopy)

Needles
Comparison of EUS needles for pancreatic masses leaves many unanswered questions (Schembre) (Letter); (Bang et al) (Response). 2013;77:829-31
High single-pass diagnostic yield of a new 25-gauge core biopsy needle for EUS-guided FNA biopsy in solid pancreatic lesions (Iwashita et al). 2013;77:909-15 (Original article: Clinical endoscopy)
Objective assessment of an algorithmic approach to EUS-guided FNA and interventions (Bang et al). 2013;77:739-44 (Original article: Clinical endoscopy)

Neoplasm staging
Submucosal saline solution injection combined with endosonography for distinguishing between stages T1a and T1b of early esophageal cancer (Li et al) (Letter). 2013;77:159-60

Neuromuscular diseases
A novel endoscopic prototype device for gastric full-thickness biopsy for the histopathologic diagnosis of GI neuromuscular pathology: in vivo porcine long-term survival study (with videos) (Fritscher-Ravens et al). 2013;77:262-71 (Original article: Experimental endoscopy)

NOTES; *see* Natural orifice transluminal endoscopic surgery (NOTES)

Nursing assessment
Development and validation of a nurse-assessed patient comfort score for colonoscopy (Rostom et al). 2013;77:255-61 (Original article: Clinical endoscopy)

O

Oil, edible
Oral administration of edible oil before ERCP: effect on selective biliary cannulation (Wagh et al). 2013;77:55-61 (Original article: Clinical endoscopy)

Omentum
Omentum patch substitute for facilitating endoscopic repair of GI perforations: an early laparoscopic pilot study with a foam matrix plug (with video) (Bonin et al). 2013;77:123-30 (New method: Experimental endoscopy)

Oseltamivir
Acute hemorrhagic colitis after oral administration of oseltamivir for influenza (Chen and Lai) (Letter). 2013;77:976

P

Pain
Carbon dioxide insufflation does not reduce pain scores during colonoscope insertion in unsedated patients: a randomized, controlled trial (Chen et al). 2013;77:79-89 (Original article: Clinical endoscopy)
Development and validation of a nurse-assessed patient comfort score for colonoscopy (Rostom et al). 2013;77:255-61 (Original article: Clinical endoscopy)
A gentle touch and a delicate pinch (Brandt). 2013;77:802 (The art of history and physical examination)

Pancreatectomy
EUS-guided rendezvous pancreaticogastrostomy in a patient with central pancreatectomy (Teoh et al). 2013;77:500-1 (At the focal point)

Pancreatic cyst or pseudocyst
EUS-guided pancreatic cyst ablation: a critical review (with video) (Oh and Brugge). 2013;77:526-33 (Technical review)
EUS-guided pancreatic fluid aspiration for DNA analysis of *KRAS* and GNAS mutations for the evaluation of pancreatic cystic neoplasia: a pilot study (Siddiqui et al) (Letter). 2013;77:669-70
Intrapapillary mucinous tumor of the pancreas (with video) (El Majzoub et al). 2013;77:502-3 (At the focal point)
New devices and techniques for management of pancreatic fluid collections (ASGE Technology Committee). 2013;77:835-8 (Report on emerging technology)
Preliminary report on a new, fully covered, metal stent designed for the treatment of pancreatic fluid collections (Yamamoto et al). 2013;77:809-14 (New method: Clinical endoscopy)

Pancreatic diseases
A case of primary pancreatic Burkitt's lymphoma diagnosed by EUS-guided FNA (Nakaji et al). 2013;77:958-9 (At the focal point)
Feasibility of using wire-guided needle-knife electrocautery for refractory biliary and pancreatic strictures (Gao et al). 2013;77:752-8 (Original article: Clinical endoscopy)
Needle-knife electrocautery: "Give me a lever and I will move the world" (Costamagna and Boškoski). 2013;77:759-60 (Editorial)

Pancreatic neoplasms
Comparison of EUS needles for pancreatic masses leaves many unanswered questions

(Schembre) (Letter); (Bang et al) (Response). 2013;77:829-31
EUS elastography: is it replacing or supplementing tissue acquisition? (Deprez). 2013;77:590-2 (Editorial)
EUS elastography for diagnosis of solid pancreatic masses: a meta-analysis (Mei et al). 2013; 77:578-89 (Original article: Clinical endoscopy)
High single-pass diagnostic yield of a new 25-gauge core biopsy needle for EUS-guided FNA biopsy in solid pancreatic lesions (Iwashita et al). 2013;77:909-15 (Original article: Clinical endoscopy)
Intrapapillary mucinous tumor of the pancreas (with video) (El Majzoub et al). 2013;77:502-3 (At the focal point)
Investigating branch duct intraductal papillary mucinous neoplasms: is large-volume lavage cytology the wave of the future? (Arcidiacono and Baillie). 2013;77:736-8 (Editorial)
A novel flexible cryoprobe for EUS-guided pancreatic biopsies (von Renteln et al). 2013;77: 784-92 (Original article: Experimental endoscopy)
Pancreatic duct lavage cytology with the cell block method for discriminating benign and malignant branch-duct type intraductal papillary mucinous neoplasms (Sai et al). 2013;77: 726-35 (Original article: Clinical endoscopy)
A prospective, comparative trial to optimize sampling techniques in EUS-guided FNA of solid pancreatic masses (Lee et al). 2013;77: 745-51 (Original article: Clinical endoscopy)

Pancreatitis
Chylothorax as a rare complication after severe necrotizing pancreatitis and endoscopic pancreatic necrosectomy (Teoh et al). 2013;77: 498-500 (At the focal point)
Difficult cannulation is the most important factor for post-ERCP pancreatitis: what is the mechanism? (Ozaslan) (Letter); (Mariani et al) (Response). 2013;77:313-5
Does leaving a main pancreatic duct stent in place reduce the incidence of precut biliary sphincterotomy–associated pancreatitis? A randomized, prospective study (Cha et al). 2013; 77:209-16 (Original article: Clinical endoscopy)
Double-balloon overtube—assisted endoscopic pancreas function test as a tool to rule out chronic pancreatitis in a patient with a previous Frey procedure (Lara and DeMarco) (Letter). 2013;77:671-2
Lethal necrosis and perforation of the stomach and the aorta after multiple EUS-guided celiac plexus neurolysis procedures in a patient with chronic pancreatitis (Loeve and Mortensen). 2013;77:151-2 (Brief report)
Nonsteroidal anti-inflammatory drugs for prevention of post-ERCP pancreatitis: a complementary meta-analysis (Gu and Liu) (Letter); (Ding et al) (Response). 2013;77:672-4
Pediatric pancreatic EUS-guided trucut biopsy for evaluation of autoimmune pancreatitis (Fujii et al). 2013;77:824-8 (Case study)
Prophylactic main pancreatic duct stenting before precut biliary sphincterotomy: hold on to what you've got (Abu Dayyeh). 2013;77:217-8 (Editorial)

Papillectomy, endoscopic
Creation of simulated papillae for endoscopic sphincterotomy and papillectomy training by using in vivo and ex vivo pig model (with videos) (Itoi et al). 2013;77:793-800 (Original article: Experimental endoscopy)

Pediatric patient; *see* Child

Peer review
On behalf of our authors and readers: A tribute to our reviewers and review board members. 2013;77:162-5 (Tribute to reviewers)

Percutaneous endoscopic gastrostomy (PEG)
A new method for percutaneous endoscopic suturing of persistent gastrocutaneous fistula (Ootani et al) (Letter). 2013;77:514-5

Peroral endoscopic myotomy (POEM)
Novel technique of auto-tunneling during peroral endoscopic myotomy (with video) (Khashab et al). 2013;77:119-22 (New method: Experimental endoscopy)
Peroral endoscopic esophageal myotomy: defining the learning curve (Kurian et al). 2013;77: 719-25 (Original article: Clinical endoscopy)
Peroral endoscopic myotomy for treatment of achalasia: from bench to bedside (with video) (Chiu et al). 2013;77:29-38 (Original article: Clinical endoscopy)
Successful treatment of diffuse esophageal spasm by peroral endoscopic myotomy (Shiwaku et al). 2013;77:149-50 (Brief report)
Thoughts on starting a peroral endoscopic myotomy program (Khashab). 2013;77:109-10 (The Fellows' Corner)

Pharyngeal neoplasms
What is an adequate management strategy for pharyngeal low-grade dysplasia? (Shimizu et al) (Letter); (Kuwabara et al) (Response). 2013; 77:972-4

Physical examination
A gentle touch and a delicate pinch (Brandt). 2013;77:802 (The art of history and physical examination)

Polypectomy
Association of polypectomy techniques, endoscopist volume, and facility type with colonoscopy complications (Chukmaitov et al). 2013;77:436-46 (Original article: Clinical endoscopy)
A blinded comparison of the safety and efficacy of hot biopsy forceps electrocauterization and conventional snare polypectomy for diminutive colonic polypectomy in a porcine model (Metz et al). 2013;77:484-90 (Original article: Experimental endoscopy)
To clip or not to clip: is that the question? (Edmundowicz). 2013;77:408-9 (Editorial)
Factors associated with failed polyp retrieval at screening colonoscopy (Komeda et al). 2013; 77:395-400 (Original article: Clinical endoscopy)
Measurement of polypectomy rate by using administrative claims data with validation against the adenoma detection rate (Patel et al). 2013; 77:390-4 (Original article: Clinical endoscopy)
Prophylactic clip closure reduced the risk of delayed postpolypectomy hemorrhage: experience in 277 clipped large sessile or flat colorectal lesions and 247 control lesions (Liaquat et al). 2013;77:401-7 (Original article: Clinical endoscopy)

Polyps; *see also* Adenoma; Colorectal neoplasms
Aurora rings: a novel endoscopic finding to distinguish inverted colonic diverticula from colon polyps (Share et al). 2013;77:308-12 (Case study)
Comparison of standard forward-viewing mode versus ultrawide-viewing mode of a novel colonoscopy platform: a prospective, multicenter study in the detection of simulated polyps in an in vitro colon model (with video) (Gralnek et al) 2013;77:472-9 (Original article: Clinical endoscopy). Correction 2013;77:833
The cutting edge of serrated polyps: a practical guide to approaching and managing serrated colon polyps (Limketkai et al). 2013;77:360-75 (Review article)
Differences in proximal serrated polyp detection among endoscopists are associated with variability in withdrawal time (de Wijkerslooth et al). 2013;77:617-23 (Original article: Clinical endoscopy)
Global quantitative assessment of the colorectal polyp burden in familial adenomatous polyposis by using a Web-based tool (Lynch et al). 2013;77:455-63 (Original article: Clinical endoscopy)
A novel extra-wide-angle–view colonoscope: a simulated pilot study using anatomic colorectal models (Uraoka et al). 2013;77:480-3 (Original article: Clinical endoscopy)
The role of high-resolution endoscopy and narrow-band imaging in the evaluation of upper GI neoplasia in familial adenomatous polyposis (Lopez-Ceron et al). 2013;77:542-50 (Original article: Clinical endoscopy)
Serrated lesions and hyperplastic (serrated) polyposis relationship with colorectal cancer: classification and surveillance recommendations (Orlowska). 2013;77:858-71 (Review article)

Portal venous gas
Portal venous gas after colonoscopy in two patients with Crohn's disease (Rao et al) (Letter). 2013;77:316-8

Pregnancy
An unusual cause of lower GI bleeding in a young woman: metastatic gestational choriocarcinoma (Arora et al). 2013;77:152-4 (Brief report)

Proton pump inhibitors
Esophageal hyperkeratosis after proton pump inhibitor therapy in a patient with esophageal eosinophilia (Molina-Infante et al). 2013;77: 131-2 (At the focal point)

Q

Quality of health care
Adenoma detection rate is necessary but insufficient for distinguishing high versus low endoscopist performance (Wang et al). 2013;77: 71-8 (Original article: Clinical endoscopy)
Impact of a quarterly report card on colonoscopy quality measures (Kahi et al). 2013;77: 925-31 (Original article: Clinical endoscopy)
Impact of fentanyl in lieu of meperidine on endoscopy unit efficiency: a prospective comparative study in patients undergoing EGD (Dzeletovic et al). 2013;77:883-7 (Original article: Clinical endoscopy)
Is the American Society of Anesthesiologists classification useful in risk stratification for endoscopic procedures? (Enestvedt et al). 2013; 77:464-71 (Original article: Clinical endoscopy)
Positive domino effect, choice of conscious sedation, and endoscopic unit efficiency (Mönkemüller and Wilcox). 2013;77:888-90 (Editorial)
Quality improvement for the gastroenterology fellow (Easler). 2013;77:281-3 (The Fellows' Corner)

R

Race or ethnicity
Comparison of adenoma detection rate in Hispanics and whites undergoing first screening colonoscopy: a retrospective chart review (Thoma et al). 2013;77:430-5 (Original article: Clinical endoscopy)
Short- and long-term risk of colorectal adenoma recurrence among whites and blacks (Laiyemo et al). 2013;77:447-54 (Original article: Clinical endoscopy)

Radiofrequency ablation; *see* Ablation techniques
Rectal neoplasms; *see also* Colorectal neoplasms
Endoscopic treatment of postsurgical colorectal anastomotic leak (with videos) (Roldán et al). 2013;77:967-71 (Case study)
High efficacy of endoscopic submucosal dissection for rectal laterally spreading tumors larger than 3 cm (Repici et al). 2013;77:96-101 (Original article: Clinical endoscopy)
Use of a convex probe-endobronchial US endoscope in EUS of the rectum and FNA (Rego et al) (Letter). 2013;77:157-9
Vanishing rectal subepithelial mass (Suzuki and Bhutani). 2013;77:663 (At the focal point)
Respiratory aspiration
Aspiration of esophageal mucosa after esophageal stent removal (Bredenoord et al). 2013;77:496-7 (At the focal point)
Reviewers and review board members
On behalf of our authors and readers: A tribute to our reviewers and review board members. 2013;77:162-5 (Tribute to reviewers)
Risk assessment
The AIMS65 score compared with the Glasgow-Blatchford score in predicting outcomes in upper GI bleeding (Hyett et al). 2013;77:551-7 (Original article: Clinical endoscopy)
Is the American Society of Anesthesiologists classification useful in risk stratification for endoscopic procedures? (Enestvedt et al). 2013;77:464-71 (Original article: Clinical endoscopy)
Risk stratification of upper GI bleeding with an esophageal capsule (Chandran et al). 2013;77:891-8 (Original article: Clinical endoscopy)

S

Sedation
Impact of fentanyl in lieu of meperidine on endoscopy unit efficiency: a prospective comparative study in patients undergoing EGD (Dzeletovic et al). 2013;77:883-7 (Original article: Clinical endoscopy)
Positive domino effect, choice of conscious sedation, and endoscopic unit efficiency (Mönkemüller and Wilcox). 2013;77:888-90 (Editorial)
Water exchange enhanced cecal intubation in potentially difficult colonoscopy. Unsedated patients with prior abdominal or pelvic surgery: a prospective, randomized, controlled trial (Luo et al). 2013;77:767-73 (Original article: Clinical endoscopy)
Sex factors
Assessment of adenoma detection rate benchmarks in women versus men (Coe and Wallace). 2013;77:631-5 (Original article: Clinical endoscopy)
Sigmoidoscopy
Screening and surveillance for colorectal cancer: state of the art (Kahi et al). 2013;77:335-50 (Review article)
Single-balloon enteroscopy (SBE)
Diagnostic and therapeutic yield is not influenced by the timing of small-bowel enteroscopy: morning versus afternoon (Sanaka et al). 2013;77:62-70 (Original article: Clinical endoscopy)
A multicenter, U.S. experience of single-balloon, double-balloon, and rotational overtube–assisted enteroscopy ERCP in patients with surgically altered pancreaticobiliary anatomy (with video) (Shah et al). 2013;77:593-600 (Original article: Clinical endoscopy)
Use of a single-balloon enteroscope compared with variable-stiffness colonoscopes for endoscopic retrograde cholangiography in liver transplant patients with Roux-en-Y biliary anastomosis (Azeem et al). 2013;77:568-77 (Original article: Clinical endoscopy)
Social media
Social media, health care, and social networking (Prasad). 2013;77:492-5 (Perspectives)
Sphincterotomy, endoscopic
Creation of simulated papillae for endoscopic sphincterotomy and papillectomy training by using in vivo and ex vivo pig model (with videos) (Itoi et al). 2013;77:793-800 (Original article: Experimental endoscopy)
Does leaving a main pancreatic duct stent in place reduce the incidence of precut biliary sphincterotomy–associated pancreatitis? A randomized, prospective study (Cha et al). 2013;77:209-16 (Original article: Clinical endoscopy)
Precut needle-knife sphincterotomy in advanced endoscopy fellowship (Anastassiades and Saxena). 2013;77:637-40 (The Fellows' Corner)
Prophylactic main pancreatic duct stenting before precut biliary sphincterotomy: hold on to what you've got (Abu Dayyeh). 2013;77:217-8 (Editorial)
Spiral enteroscopy (SE)
Diagnostic and therapeutic yield is not influenced by the timing of small-bowel enteroscopy: morning versus afternoon (Sanaka et al). 2013;77:62-70 (Original article: Clinical endoscopy)
Is double-balloon enteroscopy superior to spiral enteroscopy? (Yamamoto). 2013;77:250-1 (Editorial)
Prospective, randomized, single-center trial comparing double-balloon enteroscopy and spiral enteroscopy in patients with suspected small-bowel disorders (Messer et al). 2013;77:241-9 (Original article: Clinical endoscopy)
Spiral enteroscopy versus double-balloon enteroscopy: choosing the right tool for the job (Akerman). 2013;77:252-4 (Editorial)
Spleen
Colonoscopic splenic injury warrants more attention (Rex). 2013;77:941-3 (Thinking outside the box)
Stents
Aspiration of esophageal mucosa after esophageal stent removal (Bredenoord et al). 2013;77:496-7 (At the focal point)
Does leaving a main pancreatic duct stent in place reduce the incidence of precut biliary sphincterotomy–associated pancreatitis? A randomized, prospective study (Cha et al). 2013;77:209-16 (Original article: Clinical endoscopy)
Efficacy and safety of a partially covered stent in malignant gastric outlet obstruction: a prospective Western series (Didden et al). 2013;77:664-8 (Case study)
Endoscopic treatment of anastomotic biliary strictures after living donor liver transplantation: outcomes after maximal stent therapy (Hsieh et al). 2013;77:47-54 (Original article: Clinical endoscopy)
Endoscopic treatment of postsurgical colorectal anastomotic leak (with videos) (Roldán et al). 2013;77:967-71 (Case study)
EUS-guided transenteric gallbladder drainage with a new fistula-forming, lumen-apposing metal stent (de la Serna-Higuera et al). 2013;77:303-8 (Case study)
Is a self-expandable metal stent better than a plastic stent in unresectable complex hilar cholangiocarcinoma with regard to the adequacy of drainage and survival of the patients? (Shao et al) (Letter); (Sangchan and Mairiang) (Response). 2013;77:156-7
Managing the post–liver transplantation anastomotic biliary stricture: multiple plastic versus metal stents: a systematic review (Kao et al). 2013;77:679-91 (Review article)
Pancreatic and biliary stents (ASGE Technology Assessment Committee). 2013;77:319-27 (Status evaluation report)
Preliminary report on a new, fully covered, metal stent designed for the treatment of pancreatic fluid collections (Yamamoto et al). 2013;77:809-14 (New method: Clinical endoscopy)
Prophylactic main pancreatic duct stenting before precut biliary sphincterotomy: hold on to what you've got (Abu Dayyeh). 2013;77:217-8 (Editorial)
Safety of endoscopic removal of self-expandable stents after treatment of benign esophageal diseases (van Halsema et al). 2013;77:18-28 (Original article: Clinical endoscopy)
Stent-associated esophagorespiratory fistulas: incidence and risk factors (Bick et al). 2013;77:181-9 (Original article: Clinical endoscopy)
Transpapillary versus transmural biliary drainage in patients with an indwelling duodenal stent: when is one indicated over the other? (Hamada et al) (Letter); (Khashab and Levy) (Response). 2013;77:670-1
Stomach diseases
Lethal necrosis and perforation of the stomach and the aorta after multiple EUS-guided celiac plexus neurolysis procedures in a patient with chronic pancreatitis (Loeve and Mortensen). 2013;77:151-2 (Brief report)
Omentum patch substitute for facilitating endoscopic repair of GI perforations: an early laparoscopic pilot study with a foam matrix plug (with video) (Bonin et al). 2013;77:123-30 (New method: Experimental endoscopy)
Stomach neoplasms
The accuracy of probe-based confocal endomicroscopy versus conventional endoscopic biopsies for the diagnosis of superficial gastric neoplasia (with videos) (Bok et al). 2013;77:899-908 (Original article: Clinical endoscopy)
Bloc biopsy by using submucosal endoscopy with a mucosal flap method for gastric subepithelial tumor tissue sampling (with video) (Kobara et al). 2013;77:141-5 (Case study)
Conquering the third space: challenges and opportunities for diagnostic and therapeutic endoscopy (Khashab and Pasricha). 2013;77:146-8 (Editorial)
Endoscopic submucosal dissection for residual early gastric cancer after endoscopic submucosal dissection (Higashimaya et al). 2013;77:298-302 (Case study)
Gastritis cystica profunda with a long stalk (Lee et al). 2013;77:821-2 (At the focal point)
Large gastric lipoma presenting with GI bleeding (Rao et al) (Letter). 2013;77:512-3
Long-term gastric plasmacytoma follow-up after *Helicobacter pylori* eradication (Kato et al) (Letter) 2013;77:674-5. Correction 2013;77:976
The role of high-resolution endoscopy and narrow-band imaging in the evaluation of upper GI neoplasia in familial adenomatous polyposis (Lopez-Ceron et al). 2013;77:542-50 (Original article: Clinical endoscopy)
Submucosal endoscopy with mucosal flap
Bloc biopsy by using submucosal endoscopy with a mucosal flap method for gastric subepithelial tumor tissue sampling (with video) (Kobara et al). 2013;77:141-5 (Case study)
Conquering the third space: challenges and opportunities for diagnostic and therapeutic endoscopy (Khashab and Pasricha). 2013;77:146-8 (Editorial)

Submucosal tunneling and endoscopic resection (STER)
Novel technique for submucosal tunneling and endoscopic resection of submucosal tumors (with video) (Khashab et al). 2013;77:646-8 (Thinking outside the box)
Suture techniques
A new method for percutaneous endoscopic suturing of persistent gastrocutaneous fistula (Ootani et al) (Letter). 2013;77:514-5

T

Tattooing
Tattoo of more than lymph nodes (Tutticci et al) (Letter); (Bartels et al) (Response). 2013;77:831-2
TC-325 (Hemospray)
Hemostatic powder spray for GI bleeding (Aslanian and Laine). 2013;77:508-10 (Editorial)
Lower GI hemorrhage controlled with endoscopically applied TC-325 (with videos) (Soulellis et al). 2013;77:504-7 (Case study)
Technology, medical
Methods of luminal distention for colonoscopy (ASGE Technology Assessment Committee). 2013;77:519-25 (Technology status evaluation report)
Monitoring equipment for endoscopy (ASGE Technology Committee). 2013;77:175-80 (Status evaluation report)
New devices and techniques for management of pancreatic fluid collections (ASGE Technology Committee). 2013;77:835-8 (Report on emerging technology)
Pancreatic and biliary stents (ASGE Technology Assessment Committee). 2013;77:319-27 (Status evaluation report)
Time factors
Diagnostic and therapeutic yield is not influenced by the timing of small-bowel enteroscopy: morning versus afternoon (Sanaka et al). 2013;77:62-70 (Original article: Clinical endoscopy)
Tracheoesophageal fistula
Yikes. . . spikes! Exposed tracheal cartilaginous spikes at EGD from malignant tracheoesophageal fistula (Neumann et al). 2013;77:293-4 (At the focal point)
Training; *see* Continuing Medical Education Activity; Education, medical
Tuberculosis
An uncommon cause of esophageal ulcer: a diagnostic pitfall (Chiu et al). 2013;77:294-6 (At the focal point)

U

Ulcer
An uncommon cause of esophageal ulcer: a diagnostic pitfall (Chiu et al). 2013;77:294-6 (At the focal point)
A case of Zollinger-Ellison syndrome diagnosed by duodenal ulcer perforation into the gallbladder (Inuzuka et al). 2013;77:659-61 (At the focal point)
End-stage renal disease is associated with worse outcomes in hospitalized patients with peptic ulcer bleeding (Parasa et al). 2013;77:609-16 (Original article: Clinical endoscopy)
Interventions and outcomes of treatment of postbanding ulcer hemorrhage after endoscopic band ligation: a single-center case series (Tierney et al). 2013;77:136-40 (Case study)
United States Food and Drug Administration
Drug shortages in America: what about the gastroenterologist? (Menees et al). 2013;77:641-5 (Perspective)

V

Varices
Cyanoacrylate applications in the GI tract (Cameron and Binmoeller). 2013;77:846-57 (Technical review)
Esophageal variceal bleeding caused by posterior mediastinal Castleman's disease (Cai et al). 2013;77:658-9 (At the focal point)
Interventions and outcomes of treatment of postbanding ulcer hemorrhage after endoscopic band ligation: a single-center case series (Tierney et al). 2013;77:136-40 (Case study)

W

Water-aided colonoscopy
A novel method with significant impact on adenoma detection: combined water-exchange and cap-assisted colonoscopy (Yen et al). 2013;77:944-8 (New method: Clinical endoscopy)
Water exchange enhanced cecal intubation in potentially difficult colonoscopy. Unsedated patients with prior abdominal or pelvic surgery: a prospective, randomized, controlled trial (Luo et al). 2013;77:767-73 (Original article: Clinical endoscopy)
Whipple disease
Endoscopic appearance of duodenal mucosa in Whipple's disease (Salkic et al). 2013;77:822-3 (At the focal point)
Wound closure techniques
Comparison of gastrotomy closure modalities for natural orifice transluminal surgery: a canine study (Sun et al). 2013;77:774-83 (Original article: Experimental endoscopy)
Wounds, gunshot
Endoscopic removal of a bullet after mediastinum gunshot injury (Nagasako et al). 2013;77:955-6 (At the focal point)

Z

Zenker diverticulum
Endoscopic treatment for Zenker's diverticulum: long-term results (with video) (Huberty et al). 2013;77:701-7 (Original article: Clinical endoscopy)
Transoral flexible endoscopic therapy of Zenker's diverticulum: is it time for gastroenterologists to stick their necks out? (Katzka and Baron). 2013;77:708-10 (Editorial)
Zollinger-Ellison syndrome
A case of Zollinger-Ellison syndrome diagnosed by duodenal ulcer perforation into the gallbladder (Inuzuka et al). 2013;77:659-61 (At the focal point)